1	WA	TER WELL RECORD	Form WWC-5	KSA 82a-	1212	
LOCATION OF WATER WE			1	Number	Township Number	Range Number
ounty: Thomas	NE 1	1/4 NW 1/4 SW	1/4 3	4	T 9 S	R 33 EW
istance and direction from n			1 .	of well if lo	ocated within city?	
WATER WELL OWNER:	3 3/4 South;	1 3/4 West	N/A			
R#, St. Address, Box #	George Wiens		,		Doord of Amileuth	P3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Monument, KS	67747			Application Number:	Division of Water Resources
	•		36 in to	29		in. to
/ell Water to be used as:	5 Public wate		8 Air condition		11 Injection well	
1 Domestic 3 Feedlot	6 Oil field wa		9 Dewatering	9	12 Other (Speci	
2 Irrigation 4 Industrial		, , ,	10 Observation	well		
/ell's static water level						
ump Test Data						
st. Yield	gpm: Well water was				hours pumping 600	, 0.
TYPE OF BLANK CASING	S USED:	5 Wrought iron	8 Concrete t	ile	Casing Joints: Glue	d Clamped
1 Steel 3	RMP (SR)	6 Asbestos-Cement	9 Other (spe	cify below)	Weld	<u>ded </u>
	ABS	7 Fiberglass				aded
lank casing dia 16	$\dots$ in to $\dots$ 18.	L ft., Dia	in. to .		ft., Dia	ih. to fr
asing height above land sur		in., weight	<i></i> 3.2 <i></i> .	lbs./1	ft. Wall thickness or gauge	No188
YPE OF SCREEN OR PERI	FORATION MATERIAL:		7 PVC		10 Asbestos-ceme	ent
The state of the s	Stainless steel	5 Fiberglass	8 RMP (	SR)		)
	Galvanized steel	6 Concrete tile	9 ABS		12 None used (or	oen hole)
creen or Perforation Opening	_		ed wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire v	**************************************		9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch				
creen-Perforation Dia						
creen-Perforated Intervals:						
ravel Pack Intervals:						
GROUT MATERIAL:	From 1(		1 ft.,		ft. to	ft
	1 Neat cement	· · · · · · · · · · · · · · · · ·	3 Bentonite			
routed Intervals: From  That is the nearest source of						
1 Septic tank	4 Cess pool			10 Fuel st	-	Abandoned water well
2 Sewer lines	5 Seepage pit	7 Sewage lago			· ·	Dil well/Gas well
3 Lateral lines	6 Pit privy	8 Feed yard 9 Livestock pe			•	Other (specify below)
irection from well		•				
as a chemical/bacteriologica						
as submitted						
Yes: Pump Manufacturer's r	name F1	oway	Model No. SST	121.KM	HP	Volte
epth of Pump Intake			Pumps Capacity	rated at	900	gal /min
	1 Submersible			4 Centri		•
						nder my jurisdiction and was
impleted on						
ad this record is true to the						
his Water Well Record was						
ame of	Weştern Well &	Pump, Inc.	by (signature) 📝	10m	- Henron L	,
LOCATE WELL'S LOCATI	ON FROM TO	LITHOLOG		FROM	TO I	LITHOLOGIC LOG
WITH AN "X" IN SECTIO BOX:	ON 0 36	Clay				
	36 116	Sand & Gravel				
N	116 122	Clay & Gravel	Streaks			7,1111
	122 189	Sand & Gravel				
NW NE	189 204	Clay Cement &				
₩ X ! I E	204 223	Fine Medium Sa		tone S	treaks	
SW SE	223 228	Clay & Sandsto				
	228 246	Fine Medium Sa	and & Clay	Streak	s	7778476
\$	246 273	Fine Medium Sa	and			
1 Mile	273 290	Coarse Sand &	Grave1			
LEVATION:	290 300	Ochre & Shale				
epth(s) Groundwater Encour	ntered 1	ft. 2 ft. 3	ft. 4	ft.	(Use a second sl	neet if needed)
ISTRUCTIONS: Use typewrippies to Kansas Department	ter or ball point pen, <i>plet</i>	ase press firmly and PRINT	Clearly, Please fi	III in blanks	, underline or circle the corre	ect answers. Send top three
tain one for your records.		, similar or who midth,	TAIOI VIOII OOMIO	, 10pt	ona, no occeo. Gena one to	TOTAL TOTAL CONTRACT AND