USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well:	County	Fraction		Section number		Township number	vnship number Range number	
	Thomas	SW 1/4NE 1/4SE	1/4	8		т 9 s	R 34	<i>!</i> /W
2. Distance and direction from nearest town or city: Levant, KS - 7 mi. 3. Owner of well: Elmer Schielke South, 3 3/4 East, ½ North R.R. or street:								
Street address of well	3/4 East, ½ North location if in city:	olby, KS 67701						
4. Locate with "X" in section below: Sketch map:						6. Bore hole dia. 30 in. Completion date		
N					Well depth 200 ft. 12-29-77			
						7Cable toolRotaryDrivenDugHollow rodJettedBoredX Reverse rotary		
					8. Use: Domestic Public supply Industry			
					X Irrigation			
SW SE ^X -								
S 11 Mile1								
5. Type and color of material				From	То	Dia. in. to ft. depth gage No. #7		
						10. Screen: Manufacturer's name		
Coarse Sand & Gravel					122	Type Bridge Dia, 16'		
Cemented Sand				122	125	Slot/gauze		
Fine to Conrae Cand & Cravel				105	120	10 Cook ft. and ft.		
Fine to Coarse Sand & Gravel				142	139	Gravel pack? X Size range of material 4 X 5/8 11. Static water level: mo./day/yr.		
Sandy Clay & Fine Sand				139	147	135 ft. below land su		
Fine to Coarse Sand & Gravel				147	151	12. Pumping level below land surfaces:		
Cemented Sand				151	153	198 ft. after hrs. pumping g.p.m.		
				150	150	Estimated maximum yield 500 g.p.m. 13. Water sample submitted; mo./day/yr.		
Fine to Med. Sand & Gravel					158	Yes X No Date		
Sandy Clay				158	167	14. Well head completion: Pitless adapter		
Fine to Med. Sand				167	178	15. Well grouted? Yes	nonidational District Co.	l l
Clay				178	181	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		
Fine to Coarse Sand & Gravel				181	191	16. Nearest source of possible contamination:		
				191		ft.2.000 Direction SE Type Farmstead Well disinfected upon completion? Yes X No		
Clay						17. Pump: Not installed		
Fine to Med. Sand & Sandy Clay				193	198	Manufacturer's name <u>F'L</u> Model number	.oway HP \	/olts
Shale				198	200	Length of drop pipe	ft. capacity	g.p.m. (
BROCK 198'						Type: Submersible	X Turb	Ine
(Use a second sheet if needed)						Jet Centrifugal	Reci	procating er %
18. Elevation: 19. Remarks:					20. Water well contractor's certification:			
						This well was drilled under my jurisdiction and this report		
Topography:					is true to the best of my knowledge and belief. Western Well & Pump 245			
Hill Slope					Business Pamo. Box 852 Colby, Liggse No.			
X Upland					Signed			
Valley						Authorized representative		