WATEI	R WEL	L RECORD	Form W	WC-5	Div	ision of Water	r Resources App. N	ſ <sub>0</sub> .	
1 LOCATION OF WATER WELL:		Fraction	•	Sectio	n Number	Township No.	Range Number		
	ty: OTT		145W 145E	1/4 NW 1/4		34	T 9 S	R 4   □E <b>☑</b> W	
		ddress of Well Location; i		Global Positioning System (GPS) information: Latitude: .39,2269722(in decimal degrees)					
from nearest town or intersection: If at owner's address, check here					Longitude: 97.7554444 (in decimal degrees)  Longitude: 97.7554444 (in decimal degrees)				
HWY 81 & RIFLE RD					Elevation:				
4.5 MILES WEST, NORTH SIDE OF ROAD					- Datum	Elevation:			
2 WATER WELL OWNER: DAVID CROSSEN					Collection Method:				
RR#, Street Address, Box #: 915 RIF City, State, ZIP Code : MININE									
ony, outo, zir code . MINNEA			APOLIS, KS 67467		Est. Accuracy:				
3 LOCATE WELL									
	WITH AN "X" IN SECTION BOX:  N  Depth(s) Groundwater Encountered (1)								
SEC1									
г									
w	Bore Hole Diameter 28in. toft., andin. toft.  WELL WATER TO BE USED AS:  Public water supply  Geothermal  Injection well							.ft.	
А								Injection well	
SW	SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes No  If yes, mo/day/yr sample was submitted									
	Water well disinfected?   Yes   No								
5 TYPE OF CASING USED: Steel V PVC Other									
Casing diameter .16 in. to .20 ft., Diameter in. to ft., Diameter in. to ft.									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:									
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)									
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From . 54									
GRAVEL PACK INTERVALS: From . 0									
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other									
Grout Intervals: From 0 ft. to 20 ft., From 20 ft. to .74 ft., From ft. to ft.									
What is the nearest source of possible contamination:									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)									
	Sewer lin	les		Fuel storag		☐ Abandoned ☐ Oil well/ga			
		n well			-			***************************************	
FROM	ТО	LITHOLOG		FROM	TO			UGGING INTERVALS	
0	5	TOP SOIL							
5	20	CLAY							
20	35	SANDY CLAY							
35	49	SANDY GRAVEL							
49	72	CLAY	AVEDO						
72	74	CLAY WITH SHALE LA	AYERS			***************************************			
						***************************************			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \( \big  \) constructed, \( \subseteq \) reconstructed, or \( \subseteq \) plugged									
under my jurisdiction and was completed on (mo/day/year) .03/01/2014 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 480 This Water Well Record was completed on (mo/day/year)/93/25/2014									
under the business name of									
INSTRUC		Use typewriter or ball point per epartment of Health and Environ							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									