

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

DAI

1. Location of well: County SHERMAN Fraction SE 1/4 NE 1/4 SE 1/4 Section number 1 Township number T 9 S R 40 NW

2. Distance and direction from nearest town or city: Goodland Street address of well location if in city: 27th S

3. Owner of well: James L. Hayden R.R. or street: Box 266 City, state, zip code: Goodland Kansas 67735

4. Locate with "X" in section below: Sketch map:

6. Bore hole dia. 8 in. Completion date 5-25-76
Well depth 252 ft.

7. Cable tool Rotary Driven Dug
 Hollow rod Jetted Bored Reverse rotary

8. Use: Domestic Public supply Industry
 Irrigation Air conditioning Stock
 Lawn Oil field water Other

9. Casing: Material Plastic Height: Above or below
Threaded Welded Surface 12 in.
RMP PVC Weight lbs./ft.
Dia. 4 in. to 232 ft. depth! Wall Thickness: inches or
Dia. in. to ft. depth! gage No. 200.237

5. Type and color of material	From	To
<u>M GRAVEL, Sandy Clay</u>	<u>140</u>	<u>170</u>
<u>M GRAVEL,</u>	<u>170</u>	<u>180</u>
<u>M GRAVEL, Sandy Clay</u>	<u>180</u>	<u>188</u>
<u>FINE SAND, Sandy Clay</u>	<u>188</u>	<u>198</u>
<u>ROCK</u>	<u>198</u>	<u>201</u>
<u>M GRAVEL, Sandy Clay</u>	<u>201</u>	<u>232</u>
<u>M GRAVEL, Trace Clay</u>	<u>232</u>	<u>237</u>
<u>M GRAVEL</u>	<u>237</u>	<u>247</u>
<u>Clay</u>	<u>247</u>	<u>252</u>
<u>BROCK ?</u>		

10. Screen: Manufacturer's name Jess + Lowell
Type Louyer Dia. 5
Slot/gauze 1/8 Length 20
Set between 232 ft. and 252 ft.
ft. and ft.
Gravel pack? Yes Size range of material 1/8

11. Static water level: 147 ft. below land surface Date 5-14-76 mo./day/yr.

12. Pumping level below land surfaces:
179 ft. after 3 hrs. pumping 20 g.p.m.
 ft. after hrs. pumping g.p.m.
Estimated maximum yield 50 g.p.m.

13. Water sample submitted: mo./day/yr.
 Yes No Date

14. Well head completion:
 Pitless adapter 12 Inches above grade

15. Well grouted? Yes
With: Neat cement Bentonite Concrete
Depth: From 0 ft. to 10 ft.

16. Nearest source of possible contamination: Cess
ft. 0.50 Direction NW Type POOL
Well disinfected upon completion? Yes No

17. Pump: Not installed
Manufacturer's name Red Jacket
Model number 115C HP 1/2 Volts 220
Length of drop pipe 210 ft. capacity 20 g.p.m.
Type:
 Submersible Turbine
 Jet Reciprocating
 Centrifugal Other

(Use a second sheet if needed)

18. Elevation: _____

19. Remarks: _____

20. Water well contractor's certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
S & H Drilling Co Inc 166
Business name Goodland Kansas License No. _____
Address Goodland Kansas
Signed Bill Clifford Date 5-25-76
Authorized representative

T 9
R 40
S E
1/4 1/4 1/4