USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors)
Topeka, Kansas 66620

		Park				10	peka, Kansas 0002U			
1. Location of well:	County	Fraction	Section number		number	Township number Range number				
	Sherman	SW 1/4 SE 1/4 NW	1/4	13	3	т 9	s R 40	½ /₩		
2. Distance and direction from nearest town or city: I-70 & 27 at Goodland; 3½ South; 3/4 West; ½ South				3. Owner of well: Steve Laughlin R.R. or street:						
Street address of well location if in city:				City, state, zip code: Straton, CO						
4. Locate with "X" in section below: N				······································		6. Bore hole dia. 30 in. Completion date 11-22-76 Well depth 249 ft.				
						7 Cable tool Rotary Driven Dug				
						Hollow rod Jetted BoredX Reverse rotary				
						8. Use: Domestic Public supply Industry X Irrigation Air conditioning Stock Lawn Oil field water Other				
						9. Casing: Material Steel Height: Above ox below				
<u>† </u>						Threaded Welded _X				
1 → 1 Mi	le ————			,		Dia. 16 in. to 159 ft. de	epth Wall Thickness:			
5. Type and color of material				From To Diain. to ft. depth gage No. #7					-	
Clay				0	56	Brown				
						Type <u>Regular</u> Dia. <u>16"</u> Slot/gauze <u>10%</u> Length <u>80</u> *				
Coarse Sand, Gravel				56	75	Set between 159 10 Johnson 239	_ft. and _239_	ft.		
Sandstone				75	76	Gravel pack? X Size r	ange of material 50	0% #1".	50% ¼	
Clay				76	85	11. Static water level: 141 ft. below land su		no./day/yr. 23-76	5	
Coarse Sand, Gravel, Clay Streaks				85	124	12. Pumping level below lar 246 ft. after 2		8 a.a.m.		
Clay, Sand Mix				124	146	ft. after hrs. pumping g.p.m. Estimated maximum yield 388 _g.p.m.				
Coarse Sand, Gravel				146	151	13. Water sample submitted: mo./day/yr. Yes X No Date				
Sandstone				151	152	14. Well head completion:				
Clay				152	164	Pitless adapter				
Coa. Sand, Gravel, Clay Mix				164	198	With:Neat cement XBentonite XRANGE =Depth: FromOft. to10ft.				
Clay, Cemented				198	206	16. Nearest source of possible contamination: ft 6000 Direction SE Type Farmstead				
Clay				206	223 -	. Well disinfected upon completion? Yes X No				
Coarse Sand, Gravel				223	225	17. Pump: Manufacturer's name	Not installed			
Clay				225	227	Model number	HP <u>60</u> V ft. capacity <u>35</u>	0 g.p.m.	Ø, O	
Med. Coa. Sand, Small Gravel				227	244	Type: Submersible	X Turbi	ine		
Shale (Use a second sheet if needed)				244	249	Jet Centrifugal	Recip	procating	" Z	
	19. Remarks:	. \		<u>. – · · </u>	1	20. Water well contractor's			ilw	
300 (Tapo)						This well was drilled under n	, ·	his report	la	
Topography:						is true to the best of my knowledge and belief. Western Well & Pump 245				
Hill Slope				Business name Address BOX 852			Colby KS 67701			
X Upland						Signed Della				
Valley	and sink and stake Dominion	en la la la			l	Authorized re	presentative		4 4	