USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY. COMPAL

WATER WELL RECORD
KSA 820-1201-125

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

			<u> </u>				peka, Kansas 0002U	
1. Location of well:	County Fraction			Section number		Township number Range number		
	ShERMAN	5W 1/4 NB/4 NE	1/4	2	9	T 9	s R 40	ÞÍ/₩
l Canadin sym				3. Owner of well:		MAURICE TO	wsend	
Street address of well location if in city:				street: tate, zip		R.FD I		
4. Locate with "X" in section below: Sketch map:						6. Bore hole dia. 26 in. Completion date 8-25-25		
N N						Well depth 362 ft.		
						7 Cable tool Rotary Driven Dug		
						Hollow rod Jetted Bored X Reverse rotary		
E E						8. Use: Domestic Public supply Industry Stock		
						Lawn Oil field water Other		
						9. Casing: Material Steel Height: Above called		
<del> </del>						Threaded		
1 M	ile ————————————————————————————————————					Dia. 26 in. to 217ft. d		
5. Type and color of	material			From	То	Diain. to ft. de 10, Screen: Manufacturer':		<del>7</del>
M.Co.	1 Cm 1 P1	- 6 1-		12:1	0	W. A BROWN	, indiane	
M GRAVE	1, SANdy Ch	ny SANdSTO	VC.	135	2/7	Type LUVER Slot/gauze 18 X 7	Dia Length	
M GRAVE	L SANdSTONE			214	233	Set between 2/7	ft. and	ft.
M GRAVEL	SAND, Clay	SANDSTONE		233	243	Gravel pack? Size	andrange of material	5/8
M GRAVE	1. Tence CLAY	SANdSTON	و	243	271	11. Static water level:ft. below land s		/day/yr.
Fire Shi	rd Sandy C	LAY		271	282	12. Pumping level below to	ind surfaces:	
FINC SAN	d. MGPAUCK	SANDSTONE		282	291	ft. after	hrs. pumping	g.p.m. g.p.m.
M GRAVE	SANDY CLAY	SANdSTONE	_	291	321	Estimated maximum yield	/ <i>OBU</i>	-g.p.m. /day/yr.
The Co.	1 6.1 0%			,		Yes X No	Date	
Con I	d SANDY CHA	9		321		14. Well head completion: Pitless adapter	Inches above	grade
JANay 2	ZAY SANOSIO	NC.		231	541	15. Well grouted? 455		
M GRAVE	L, SANdy CLAY	y, SANDSTON	<u> </u>	341	251	With: Neat cement _ Depth: From ft. t	BenfoniteC	-oncrete
M GRAVE	el, SANdy E	LAY		35/	363	16. Nearest source of possi	ble contamination:	
OchRe				363	367	Well disinfected upon comp		X No
						17. Pump: Manufacturer's name	Not installed	Reland
				<b>†</b>		Model number 8M	HP <i>125_</i> Vol	"—  IO
				<u> </u>		Length of drop pipe 355	O ft. capacity/40	<b>@</b> .p.m. │ ③ ¹
						Submersible	Turbine	
	(Use a second s	heet if needed)				Jet Centrifugal	Recipro	cating 🔓 🔑
18. Elevation:	19. Remarks:	1			L	20. Water well contractor'		——  <sup>*</sup>  ~
	2740	10.00				This well was drilled under is trug to the best of my kno		report
Topography:	/14	Civio				St H Duller		166 15 10
Hill Slope						Business name Address		ense No.
Z Upland						Signed Bill Cha	Har.	
Valley						Authorized	presentative Date	3.75