WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| | 1 1 | | | | Topeka, Kansas 6002U | | |
|---|----------------------|------------|--|----------|---|--|--------------------------|
| County 1. Location of well: | raction Se | | Section | number | Township number | Range number | , |
| SherMAN | NE 1/4 NE 1/4 SE | 1/4 | 36 | | T 9 S | R 4/0 | z/w |
| | | | owner of well: LesTer Walters | | | | |
| Street orders of well location if in city: | | | or street: Box 661, state, zip code: Goodhand Kausas 67735 | | | | |
| 4. Locate with "X" in section below: | ketch map: RORA | City, stat | re, zip c | :ode: (9 | 6. Bore hole dig. | VSAS 677 | 33 |
| N N | ketch map: BARN | 1 | | | Well depth 25% ft. | <u> </u> | 2 |
| 1 !!! | | | | | 7 Cable toolRotary | Driven Dug | |
| NW NE Stape | 4.14 | | | - | Hollow rod Jetted | BoredReve | se rotary |
| | Well X | |) ? | | 8. Use: 🔏 Domestic F | · · · · — | , I |
| | House 7 | | | | . | Air conditioning Sta Dil field water Ot | her |
| sw se \[\sqrt{\sq}}}}}}}}}}}}} \signtimes\signtifta\sintitita}\signtifta\sintititit{\sintitita}\signtifta}\signtifta\sintititit{\sintiin}}\signtifta\sintititit{\sintiin}\signtifta\sintiin}\signtifta\sintifta\sintiin}\signtifta\sintiin}\signtifta\sintiin}\sin | 300 | | | | 9. Casing: Material | Height: Above | elow |
| | and to the N | | | | Threaded Welded RMP PVC | iSurface Weight | in. _lbs./ft. |
| 1 Mile Jospail p | Sep/IC/IIMA N-3 X | | | | Dia. 4 in. to 134 ft. de | | |
| 5. Type and color of material Clay streets, f. son | 23-61 | | From | То | Diain. to ft. de | pth gage No | 37 37 |
| clay, m. gravel | 41-00 | | | | 10. Screen: Manufacturer's | name bu clL | |
| M GRAVEL, SANdSTONE | | | 80 | 114 | Type Louven | Dig | |
| SANDE PLAN SANDETAN | • | | 114 | 110 | Slot/gauze 18 125 Set between 13 4 | Length | |
| T C S SANCOLOM | 7 / | | /// | i aa | | _ft_ and <u></u> | ft. |
| FINE SAND, SANDY C. | TAY | | 122 | 128 | Gravel pack? Size r | ange of material | <u> </u> |
| MGRAVEL SANDY C | LAY | | 128 | 145 | 11. Static water level: | | /day/yr. 2- 76 |
| HARD SANDSTONE | ···· | | 145 | 146 | 12. Pumping level below lar | nd surfaces: | |
| FINE SAND M GAAVE | <u>.</u> | | 146 | 148 | ft. after | | |
| | | | 1160 | | Estimated maximum yield — | 50 | _g.p.m. |
| SANDY CLAY, SANDST | one | | 148 | 151 | 13. Water sample submitted: Yes | mo. | /day/yr. |
| Ochae | | | 151 | 154 | 14. Well head completion: | | |
| BROO | K 151' | | | | Pitless adapter | Inches above | grade |
| 1,100 | N IJ | | | | 15. Well grouted? <u>46.5</u> | | |
| | | | | | With: Neat cement ft. to | | concrete - |
| | | | | | 16. Nearest source of possib | le contamination: | Tie, |
| | | | | | ft 300 Direction 3 | Type 72 | No I |
| | | | | | 17. Pump: | Not installed | |
| | | | | | Manufacturer's name | JACKET | 720 1 |
| | | | | | Model number | HP Vol ft. capacity 20 | ,230 |
| | | | | | Type: | | 7 |
| | | | | | Submersible | Turbine | 1 14. |
| . (Use a second sh | eet if needed) | | | | Jet Centrifugal | Recipro Other | cailing S |
| 18. Elevation: 19. Remarks: | | | | | 20. Water well contractor's | | 9 |
| 1 3 | 1/10 | | | | This well was drilled under in is true to the best of my kno | | report |
| Topography: | <i>y.10</i> | | | | SY H Dull | na Co hu | 166 512 |
| Hill Sleep | | | | | Business name | send Kan. | ense No. |
| Slope Upland | | | | | Address Pill Cl | Harl | |
| Valley | | | | | Signed Authorized e | resentative 7-20 | -76 5 % |