USE TYPEWRITER OR BALL POUNT PEN-PRESS FIRMLY, PRINT CLEARLY.
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors)

	(	こりり			Тор	eka, Kansas 66620	
1. Location of well:	County	Fraction center of 55	-	number	Township number	Range number	
··· Localion of well.	Sherman	NY14 年 14 篇	1/4 3		τ 9 s	R 41	E/N)
1/4 mile east of Ruleton, Kansas R.R. or				r street: tote, zip code: Goodland, Kansas 67735			
4. Locate with "X" in section below: Sketch map:					6. Bore hole dia. 30 in. Completion date 1-22-77		
N					Well depth 271 ft.		<b>—</b>
center of $SW_{\frac{1}{4}}$ , Sec 3, Tw					7 Cable tool Rotary Driven Dug Hollow rod Jetted Bored X_ Reverse rotary		
rge 41					8. Use: Domestic Public supply Industry  X Irrigation Air conditioning Stock Lawn Oil field water Other		
SE I					9. Casing: Material Stee Height: Above of Letow Threaded WeldedX   Surface in. RMP PVC Weight 36 _ lbs./ft.		
	Aile ————————————————————————————————————		From	T _	Dia. 16in. 1271 ft. de	oth!Wall Thickness: inch	
5. Type and color of material				То	Dia in. to ft. dep		
clay, sand and rock				142	<u>Lakewood</u>		
medoum to coarse loose clean			142	156	Type <u>steel</u> Slot/gauze 2" Set between <u>191</u>	Length <u>80</u> _ft. and <u>271</u>	
clay and sadd rock			156	211	ft. Gravel pack? Vessize ro	and	— ft. B—ft.
fine sand fairly clean			211	216	11. Static water level:  142 ft. below land su	mo./c	day/yr.
rock broken			216	220	12. Pumping level below lan	d surfaces:	
fine sand f loose elean			550	226	ft. after Estimated maximum yield	hrs. pumping	
rock			226	227	13. Water sample submitted:	mo./c	lay/yr.
good fine sand			227	237	Yes X No  14. Well head completion:	Date	
<b>O</b>		The section of the se			Pitless adapter	12 Inches above gr	ade
fine to me	edium very loose		237	263	15. Well grouted (VES With X Neat cement	Bentonite Co	ncrete
blue	\$ SAME HOLES		263	271	Depth: From ft. to  16. Nearest source of possib	<u>LO</u> ft.	
	A Children Land	•			ft Direction	Туре	—— I
				<del> </del>	Well disinfected upon compl 17. Pump:	etion? Yes Not installed	_ <sup>N</sup> •
					Manufacturer's name <u>Byron Jackson</u> Model number <u>turbine</u> HP 75 Volts		
					Length of drop pipe 260	ft. capacity _700g	
					Type: Submersible	X Turbine	
	(Use a second she	not if monded)		1	Jet Centrifugal	Reciproce	ating 4
18. Elevation:	19. Remarks:	rei ii needėd)	L	J	20. Water well contractor's		<sup>8</sup>
-		5 (1070)			This well was drilled under no is true to the best of my know	ny jurisdiction and this re wledge and belief.	<u> </u>
Topography: Hill	200	/ (10ru)			Northwest Drill	ing Co., 24	18 No 1
X Slope					Address Box 411 G	oodland, Kar	15as   5
Upland Valley	<u> </u>				Signed Authorized re	presentative Date	<u></u> ] {
orward the white, bl	ue and pink copies to the Department o	f Health and Environment				Form-WAVC	-5