

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

DDDD

1. Location of well:		County SHERMAN	Fraction SE 1/4 SE 1/4 SE 1/4	Section number 21	Township number T 9 S R 41 20	Range number 41 20																											
2. Distance and direction from nearest town or city: Street address of well location if in city: Ruleton 651W			3. Owner of well: R.R. or street: City, state, zip code: Melvin Wilson RT 3 Goodland Kansas 67735																														
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 8 in. Completion date 11-15-76 Well depth 284 ft.																													
				7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary																													
5. Type and color of material		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:80%;"></td> <td style="width:10%;">From</td> <td style="width:10%;">To</td> </tr> <tr> <td>M GRAVEL</td> <td>168</td> <td>211</td> </tr> <tr> <td>M GRAVEL, SANDSTONE</td> <td>211</td> <td>246</td> </tr> <tr> <td>SANDY CLAY, TRACC CLAY w/ GRAVEL</td> <td>246</td> <td>261</td> </tr> <tr> <td>M GRAVEL</td> <td>261</td> <td>267</td> </tr> <tr> <td>ROCK</td> <td>267</td> <td>271</td> </tr> <tr> <td>M GRAVEL SANDY CLAY</td> <td>271</td> <td>277</td> </tr> <tr> <td>Ochre</td> <td>277</td> <td>284</td> </tr> <tr> <td colspan="3" style="text-align:center;">ROCK 277'</td> </tr> </table>			From	To	M GRAVEL	168	211	M GRAVEL, SANDSTONE	211	246	SANDY CLAY, TRACC CLAY w/ GRAVEL	246	261	M GRAVEL	261	267	ROCK	267	271	M GRAVEL SANDY CLAY	271	277	Ochre	277	284	ROCK 277'			8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
	From	To																															
M GRAVEL	168	211																															
M GRAVEL, SANDSTONE	211	246																															
SANDY CLAY, TRACC CLAY w/ GRAVEL	246	261																															
M GRAVEL	261	267																															
ROCK	267	271																															
M GRAVEL SANDY CLAY	271	277																															
Ochre	277	284																															
ROCK 277'																																	
				9. Casing: Material Plastic Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight <input type="checkbox"/> lbs./ft. Dia. 2 1/2 in. to 2 6/8 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 200, 237																													
				10. Screen: Manufacturer's name Jess & Lowell Type Louver Dig. 5" Slot/gauze 1/8, 200, 250 Length 20 Set between 264 ft. and 284 ft. <input type="checkbox"/> ft. and <input type="checkbox"/> ft. Gravel pack? yes Size range of material 1/8																													
				11. Static water level: <input type="checkbox"/> mo./day/yr. 171 ft. below land surface Date 10-1-76																													
				12. Pumping level below land surfaces: 195 ft. after 3 hrs. pumping 20 g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 50 g.p.m.																													
				13. Water sample submitted: <input type="checkbox"/> mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date <input type="checkbox"/>																													
				14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 12 Inches above grade																													
				15. Well grouted? yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 5 ft. to 15 ft.																													
				16. Nearest source of possible contamination: Grass ft. 600 Direction NE Type Pool Well disinfected upon completion? <input type="checkbox"/> Yes <input type="checkbox"/> No																													
				17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Red Jacket Model number 11CC HP 1/2 Volts 230 Length of drop pipe 361 ft. capacity 20 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other																													
18. Elevation:		19. Remarks:		20. Water well contractor's certification:																													
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley		3854		This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. S & H Durling Co Inc 166 Business name Goodland Kansas License No. Address Goodland Kansas Signed Bill Clifford Date 11-16-76 Authorized representative																													

T 9 S R 41 20
 Sec 21
 SE SE SE
 1/4 1/4 1/4