
Sumt Sumt N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N N </th <th></th> <th></th> <th>WA</th> <th>TER WELL RE</th> <th>CORD For</th> <th>m WWC-5</th> <th></th> <th>a-1212 ID</th> <th></th> <th></th>			WA	TER WELL RE	CORD For	m WWC-5		a-1212 ID			
Instance and direction from nearest town or city street address of well if located within city? WATER WELL OWNER: DUTION TO CHINER (FILE) Res St. Address Set : 2 // HARALSON Ry, State, 2 // ARAELSON RY, State, 2 /// ARAELSON RY, State, 2 /					1	-					
WATER WELL OWNER: DUJICHT CHIRERFIELD Her St. Address, Box H 201 HARRISON Board of Agricultur, Division of Water Resource Application Number: 7/3.3 LICACTE WELLS LOCATION WITH II DEPTI-106 COMPLETED WELL II. ELEVATION III. Complexity 7/3.3 LICACTE WELLS LOCATION WITH II DEPTI-106 COMPLETED WELL III. ELEVATION III. ELEVATION III. Complexity IIII. Complexity IIIII. Complexity IIIII. Complexity IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII							<u> </u>	<u>S R 42 E(W)</u>			
Ins. St. Address, Box 4 201 HARRISON Board of Agriculture, Division of Water Resource Application Number: 71/32 IDOCHE WELLS LOCATION WITH 41 DEPTH OF COMPLETEO WELL It. ELEVATION. It. 3 It. 3 <td>Distance and d</td> <td>direction</td> <td>n from nearest to</td> <td>own or city stree</td> <td>et address of w</td> <td>ell if locate</td> <td>d within city</td> <td>?</td> <td></td> <td>C C</td>	Distance and d	direction	n from nearest to	own or city stree	et address of w	ell if locate	d within city	?		C C	
Ins. St. Address, Box 4 201 HARRISON Board of Agriculture, Division of Water Resource Application Number: 71/32 IDOCHE WELLS LOCATION WITH 41 DEPTH OF COMPLETEO WELL It. ELEVATION. It. 3 It. 3 <td></td> <td></td> <td></td> <td>UT CHIPP</td> <td>PEIEIN</td> <td></td> <td></td> <td></td> <td>· · · · · · · · · · · · · · · · · · ·</td> <td></td>				UT CHIPP	PEIEIN				· · · · · · · · · · · · · · · · · · ·		
Application Number Application Number 7132 APPRIATE LEVEL Net Reserved Net Net Section Note: 7132 AN X* IN SECTION BOX Depth/s) forund/water Encountered I. ELEVATION: N. 3. AN X* IN SECTION BOX Depth/s) forund/water Encountered I. ELEVATION: N. 4.									Boord of Agricult	ing Division of Mater Descures	
LICOATE WELLS LOCAINON WITH 4 DEPTH OF COMPLETED WELL						75					
AN X* IN SECTON BOX. Dephis (a) Groundwater Encountered 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	-		0000					ft ELEV	••		
WELL'S STATIC WATER LEVEL											
Image: Second State Sta		Ņ									
Bore Hole Dameter	▲ ¦										
Bore Hole Dameter	N	v .	NE		•						
Image: Structure Structur				Bore Hole Diar	neter	in. to .			., and	in. to ft.	
	₩ W		E	WELL WATER	TO BE USED	AS: 5 Pu	blic water s	upply	8 Air conditioning	11 Injection well	
Image: Second State Second					3 Feedlot						
Starter Water Well Disinficience? Yes No 1 Steel 5 Wroughtion 8 Concrete tile CASING JOINTS: Glued. Clamped. 2 PVC 4 ABS 7 Fiberglass 9 Other (specify below) Threaded. Blank casing diameter in. to	SV	v ·	- – SE – –	2 Irrigation	4 Industri	al 7 Do	mestic (lawn	n & garden)	10 Monitoring well	• • • • • • • • • • • • • • • • • • • •	
Starter Water Well Disinficience? Yes No 1 Steel 5 Wroughtion 8 Concrete tile CASING JOINTS: Glued. Clamped. 2 PVC 4 ABS 7 Fiberglass 9 Other (specify below) Threaded. Blank casing diameter in. to				Was a chemical	/bacteriological	sample subr	nitted to Dep	artment? Ye	es No 🗙 : If v	ves. mo/dav/vrs sample was sub	
1 Steal 3 RMP (SR) 6 Asbestos-Cament 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded. Bink casing diameter in. to	<u> </u>	s									
2 PVC 4 ABS 7 Fiberglass Threaded. Blank casing diameter n. to n. (t, Dia n. (t, Dia) n. (t, Dia n.	5 TYPE OF B	LANK	CASING USED:		5 Wrought in	on	8 Concre	te tile	CASING JOINTS	Glued Clamped	
Blank casing diameter .in, to .ft, Dia .in, to .ft, Dia .in, to Casing height above land surface .in, weight .in, weight .in, weight .in, weight .in, weight 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) .in to 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Dirilled holes 11 None (open hole) SCREEN-PERFORATED INTERVALS: From ft. to ft. from ft. to ft. form GRAVEL PACK INTERVALS: From ft. to ft. from ft. to ft. from ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other ft. from ft. to 1 Speit cank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify) below) 3 Wateright sewer lines 5 Seespage pt	1 Steel		3 RMP (S	R)	6 Asbestos-	Cement	9 Other ((specify be	low)	Welded	
Casing height above land surface in, weight Ibs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Abbestos-comment 1 Steel 3 Stainlass steel 5 Fiberglass 8 RMP (SN) 11 Ohner (specify) 2 Brass 4 Galvanized steel 5 Concrete tile 9 ABS 12 None used (open hole) 2 Continuous slot 3 Mill ske 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN OR PERFORATION VALS: From. ft. to ft. from ft. to GRAVEL PACK INTERVALS: From. ft. to ft. form ft. to GRAVEL PACK INTERVALS: From. ft. to ft. form ft. to GRAVEL PACK INTERVALS: From. ft. to ft. form ft. to GRAVEL PACK INTERVALS: From. ft. to ft. form ft. to GRAVEL PACK INTERVALS: From. ft. to ft. form ft. to GRAVEL PACK INTERVALS: From. ft. to ft. to ft. to Grave Intrease for the specify below										Threaded	
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Absetso-cament 1 Steel 3 Stainess steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Kay punched 7 Torch cut 10 Other (specify)											
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) 3 Continuous sidt 3 Mill sidt 6 Wire wrapped 9 Saw cut 11 None (open hole) 1 Continuous sidt 3 Mill sidt 6 Wire wrapped 9 Orlied holes 12 Onver dised (open hole) 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	Casing height	t above	land surface		in., weight			Ib	s./ft. Wall thickness or gai	uge No	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 9 Drilled holes 10 Other (specify) 11 None (open hole) SCREEN-PERFORATED INTERVALS: From ft. to ft. from ft. to ft. form ft. to GRAVEL PACK INTERVALS: From ft. to ft. form	TYPE OF SC	REEN	OR PERFORA	TION MATERIA				-	10 Asbestos	s-cement	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)											
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERPORATED INTERVALS: From ft. to ft. From ft. to GRAVEL PACK INTERVALS: From ft. to ft. from ft. to GRAVEL PACK INTERVALS: From ft. to ft. from ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other ft. to I Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Other (specify below) 3 Watertight sever lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below) 3 Watertight sever lines 6 Seepage pit 9 Feedyard 10 Intervals Ft. f					6 Concrete t		•••=•				
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft, from ft. to GRAVEL PACK INTERVALS: From ft. to ft, from ft. to GRAVEL PACK INTERVALS: From ft. to ft, from ft. to GRAUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From ft. to ft, from ft. to ISopic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 16 Other (specify below) 3 Watertight sever lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sever lines 6 Seepage pit 9 Feedyard How many feet? PLUGGING INTERVALS FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS From III HOLOGIC LOG FROM TO PLUGGING INTERVALS From III HOLOGIC LOG FROM TO PLUGGING INTERVALS						••				11 None (open hole)	
SCREEN-PERFORATED INTERVALS: From ft. to ft. rom ft. to From ft. to ft. form ft. to ft. from ft. to GRAVEL PACK INTERVALS: From ft. to ft. form ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From ft. to ft. from ft. to Mati is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Wateright sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below) 3 Wateright sewer lines 6 Seepage pit 9 Feedyard 10 LITHOLOGIC LOG FROM TO PLUGGING INTERVALS FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS POMESTIC WELL IS BEING ZONVERTED TO A CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water											
From. ft. to ft. from ft. to GRAVEL PACK INTERVALS: From. ft. to ft. from ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From. ft. to ft. from ft. to Grout Intervals: From. ft. to ft. from ft. to Mati is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 10 Control of the sever lines Direction from well? TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, pr (3) plugged under my jurisdiction and water well contractor's Licence No. This Water Well Record was completed on (molday/year) FEB. 2, 2.4///								ft Fro	(1))		
From. ft. to ft. from ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From ft. to ft. from ft. to Mati is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 10 Divestock pens Direction from well? How many feet? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and watorompleted on (mo/day/yen) FtB. R.g. 2411	0011221112										
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From .ft., From .ft., From .ft., From Mati is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 10 IVESTICE PLUGGING INTERVALS FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, br (3) plugged under my jurisdiction and was completed on (mo/day/year) .ft, Aarthur and this record its with to the best of my knowledge and belief. Kans. Nater Well Contractor's Licence No. .mthis Water Well Record was completed on (mo/day/yr) .ft, Aarthur and the table and busines name of NSTNUCTIONS: Use typewinter or billi	GR	AVEL	PACK INTERVA	LS: From		. ft. to		ft., Fro	om	ft. to	
Grout Intervals: From. ft. to ft. From ft. to ft. ft. to ft. ft. to ft. ft. f				From		. ft. to	•••••				
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below) Direction from well? How many feet? How many feet? How many feet? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS Image: Severe se					•						
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below) Direction from well? How many feet? How many feet? 11 Fuel Storage 17 FILS FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS Image: Sever lines Severage lagoon 11 Fuel Storage 16 Other (specify below) Image: Sever lines Severage lagoon 17 FILS WEIL IS Direction (storage) FROM TO PLUGGING INTERVALS How many feet? FROM TO PLUGGING INTERVALS TIHIS WEIL IS BEING Image: Severage lagoon Image: Severage lagoon TIHIS WEIL IS WEIL IS WEIL Severage lagoon Image: Severage lagoon Image: Severage lagoon Image: Severage lagoon Image: Severage lagoon Image: Severage lagoon Image: Severage lagoon Image: Severage lagoon Image: Severage lagoon Image: Severage lagoon Image: Severage lagoon Image	Grout Interva	als: Fr	om	ft. to	ft., F	rom	ft.	to	ft., From	ft. to	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	What is the r	nearest	source of possi	ble contaminatio	on:			10 Liv	estock pens	14 Abandoned water well	
3 Waterlight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage How many feet? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS FROM TO PLUGGING INTERVALS FROM TO PLUGGING INTERVALS THIS WETL IS BEING CONVERTED TO A DOMESTIC WELL CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)FEB.2,						7 Pit privy			11 Fuel storage 15 Oil well/Gas well		
Direction from well? How many feet? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS FROM TO IIIHOLOGIC LOG FROM TO PLUGGING INTERVALS Image: Stress of the stress of	2 Sewer lines 5 Cess pool				8 Sewage lagoon			12 Fertilizer storage 16 Other (specify below)			
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS Image: Construction of the second se	3 Watertight sewer lines 6 Seepage pit				9 Feedyard			13 Insecticide storage			
THIS WELL IS BEING CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, pr (3) plugged under my jurisdiction and was completed on (mo/day/year) CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, pr (3) plugged under my jurisdiction and was and this record is true to the best of my knowledge and belief. Kans Nater Well Contractor's Licence No. Mater Well Contractor's Licence No. This Water Well Record was completed on (mo/day/yr) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIBMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copper Kayasa Department of Health and											
CONVERTED TO A DOMESTIC DISTRUCTIONS: Use typerviter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and	FROM	то		LITHOLOGIC L	OG		FROM	то	PLUGGI	NG INTERVALS	
CONVERTED TO A DOMESTIC DISTRUCTIONS: Use typerviter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and											
CONVERTED TO A DOMESTIC DISTRUCTIONS: Use typerviter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and											
Image: State of the state									THIS WELL	S BEING	
Image: State of the state											
Z CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) FEB. 2 24//									CONVERTED	70 4	
Z CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) FEB. 2 24//									1 ~ 1	1.50-11	
completed on (mo/day/year) FEB. 2,									DOMESTIC	WELL	
completed on (mo/day/year) FEB. 2,											
completed on (mo/day/year) FEB. 2,											
completed on (mo/day/year) FEB. 2,											
completed on (mo/day/year) FEB. 2,											
completed on (mo/day/year) FEB. 2,											
completed on (mo/day/year) FEB. 2,											
completed on (mo/day/year) FEB. 2,							- (4)			and some and the state of a state of the	
Water Well Contractor's Licence No. This Water Well Record was completed on (mo/day/yr) under the business name of by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copyright Kaysas Department of Health and											
under the business name of by (signature) with Chyperful INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three corperso Karlsas Department of Health and	completed on	(mo/da	y/year) /	D	<i></i>			and this re	cord is true to the best of $F \simeq$	my knowledge and belief. Kansa	
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copyers Kansas Department of Health and					This	Water Wel	Record wa	as complete	a on (mo/day/yr)	7	
	under the bus	iness n	ame of					by	(signature) whit (Myperel	
Environment Bureau of Water Toneka, Kansas 66620-0001, Telephone 785-296-5524, Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.											

http://hercules.kgs.ku.edu/geohydro/wimas/water_right_list.cfm

14-9-42W



WIMAS Water Right Information Sheet

Water Right Information represents conditions as of 02/25/2011.

Information shown on this page depends on a water right's selected **Type(s)** of **Use** and point of diversion, **PD(s)**. If there are multiple uses and/or multiple points of diversion, the page will update details, quantity and rate, and reported water use depending on which entry is selected from those list boxes.

Because water rights can overlap both in points of diversion and places of use (which in turn can affect the authorized quantities and rate) AND water usage is often aggregated into a single report, **you cannot determine if a water right has reported more water use than authorized from this page only.**

Water Right								
Water Right: 9133 - 00 1 Type(s) of Use: IRR 1 PD(s): 14-9S-42W 2								
Link to the Kansas Geological Survey Website: Search WWC5 Search Wizard								
Water Right Details								
Source: G Right Type: A Total Acres Authorized: 160 Net Acres Authorized: 160 Use of Water Active: N								
Water Right Status: NQ Place(s) of Use: 14-9S-42W NE SE (active) Total Acres: 40, Net Acres: 40								
Priority Date: 01/25/1963 Action Trail: 01/25/1963- PENDING INITIAL REVIEW								
Point of Diversion Details								
Pd Active: Y Feet North: Feet West: Qualifiers: NE NW SE County: SHERMAN								
GMD Num: 4 Number of Wells: 1 Subbasin: BEAVER CREEK Stream Number:								
Special Use Area(s): Comment:								
Authorized Quantity & Rate								
Quantity Stored By: Authorized Quantity (AF): Net Quantity (AF):								
Rate Stored By: Authorized Rate (GPM): Net Rate (GPM):								
Reported Water Use Graph Water Use History								
Water Use Year(s): 2009 Total Water Used (AF): 95.00 Acres Irrigated: 120								
Water Use Reported on Right Num: Reel Number: 59 Blip Number: 1195								
Metered Quantity: 95 Meter Unit: 2 Depth to Water: Depth of Well:								
Beginning Meter Reading: 68 Ending Meter Reading: 164								
System Type: 4 Hours Pumped: Pump Rate: 190 Date of Measurement:								
Date Report Received: 01/19/2010 Chemigation Indicator: Y Water Use Code: A Crop Code: 16								
Current Water Use Correspondent(s): DWIGHT & JUDITH A CHIPPERFIELD								
Print ASCII Report								
Reported Water Use History for Water Right 9133 - 00, Pd 14-9S-42W 2 and Use IRR								

