M. SUITCHER ME

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Is continued wells:	TWP: State Line						Topeka, Kansas 66620					
Sherman NR IVA NR VA SN IVA 28 1 9 5 8 42 40 6 6 miles South 6 12 mile East 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					Section number		Township number		Range number]	
2. Different conference from reach there one chapt From Kanorado Similas South & 1k mille East Sheet of well location in city. 4. Locate with 72 in action below: N 4. Locate with 72 in action below: N 4. Locate with 72 in action below: N 5. Sheet here do: N 4. Locate with 72 in action below: N 5. While in action below: N 5. The mille East 6. Der hole do: N 6. Der hole do: N 7. Calls twol _ Roby _ Driven _ Dog _ Helle reaphy _ Inclusivy _ Engine _ All containing _ Such _ Lew _ Or _ Percent _ Dog _ Helle reaphy _ Inclusivy _ Engine _ All containing _ Such _ Lew _ Or _ O	1. Location of well:	Sherman	NE 1/4 NE 1/4 SW	1/4	2	8	т 9	s	R 42	E ∕		
A. Locate with "X" in section below: Shetch roop	2. Distance and direc		^		er of wel	ı: E	d Meissinger				1	
A. Locate with "X" in section below: Shetch roop	6miles South & 1½ mile East Street address of well location if in city:					er street:						
West steph	City, ste					code: K	anorado Ka	nsas				
7 Cable tool _ Subary _ Driven _ Dug _ Molifor row _ Jettle _ Subary _ Driven _ Dug _ Molifor row _ Jettle _ Subary _ Driven _ Dug _ Molifor row _ Jettle _ Subary _ Driven _ Dug _ Molifor row _ Jettle _ Subary _ Driven _ Dug _ Molifor row _ Jettle _ Subary _ Driven _ Dug _ Molifor row _ Jettle _ Subary _ Driven _ Dug _ Molifor row _ Jettle _ Subary _ Driven _ Dug _ Molifor row _ Jettle _ Subary _ Driven _ Dug _ Molifor row _ Jettle _ Subary _ Driven _ Dug _ Molifor row _ Jettle _ Subary _ Driven _ Dug _ Jettle _ Je			Sketch map:				6. Bore hole dia. —3	6_ in.	Completion date	<u> 2/26/7</u> 6	1	
Note	<u> </u>											
8. Use: Descript. Public vegity. Industry Shock Low Other 1. Shock Low		, , , , , , , , , , , , , , , , , , ,										
Section Sect		NE							21		1	
Soliday Soli	₩ 1 1 E										ļ	
1	7 X											
Solution	3w 5t											
Disc. In.												
From To Dis. In. to In. depth jogos No. 188 Dis. In. to In. depth jogos No. In.												
Coarse Sand & grave with clay 47 119 198						То						
Coarse Sand & grave with clay 47 119 198	Clav					17.7	10 . Screen: Manufactu	rer's no	me <u>Brown</u>]	
Sandstone 126 136 138 138 138 138 139 138 139 138 139 138 139 138 139	•								1.611			
Sandstone hard Sandstone Sandstone hard Sandstone Sandstone hard Sandstone Sandstone Sandstone Sandstone Sandstone Sandstone Sandstone Sandst	•						Slot/gauze_10%					
Coarse sand & gravel Sandy clay Sandy clay Sandy clay Sandy clay Sandy clay Sandy clay Sandstone & clay Sandstone Sandstone & clay Sandstone & clay Sandstone Sandstone & clay Sandstone Sandstone Sandstone Sandstone Sandstone Sa	Medium to coarse sand & gravel						Set between 160		$\frac{260}{270}$	ft		
Sandy clay Medium to coarse sand & gravel Sandstone & clay Sandstone & cl									4		9 LV5/0	
Sandstone & clay and & gravel & clay & cemented 168 178 178 179 179 179 179 179 179 179 179 179 179								ize ran			/c 2/2/	
Clay 198	Medium to coarse sand & gravel							ınd surfe				
Clay Coarse sand & grave1 195 198 198 207 Medium sand 227 227 Etimote o medium sand & clay Medium to coarse sand 226 246 Clay	Sandstone & clay Medium to coarse sand & gravel & clay & cemented				198	178						
Medium sand Clay Either to medium sand & clay 227 227 13. Water sample submitted: mo./day/yr. Yes X No Date 14. Well head completion: Pitless adopter 12 Inches above grade 15. Well grouted? X With: Depth: From 0 ft. to 10 ft. Depth: From 0 ft. Depth:	Clay				195		ft. after	2hr	s. pumping $\frac{9}{2}$	0/ g.p.m.		
Medium sand Clay Fine to medium sand & clay Eine to medium sand & clay Medium to coarse sand Clay Clay Coarse sand & gravel with clay Cohre & shale Clay Coarse sand & gravel with clay Cohre & shale Clay Clay Clay Coarse sand & gravel with clay Cohre & shale Clay Coarse sand & gravel with clay Cohre & shale Clay Coarse sand & gravel with clay Cohre & shale Clay Coarse sand & gravel with clay Cohre & shale Coarse sand & gravel with clay Cohre & shale Coarse sand & gravel with clay Cohre & shale Coarse sand & gravel with clay Cohre & shale Coarse sand & gravel with clay Cohre & shale Coarse sand & gravel with clay Cohre & shale Coarse sand & gravel with clay Coarse sand & gravel with clay Cohre & shale Coarse sand & gravel with clay Cohre & shale Coarse sand & gravel with clay Cohre & shale Coarse sand & gravel with clay of the competion: Coarse sand & gravel with clay of the competion: Coarse sand & gravel with clay of the competion: Coarse sand & gravel with clay of the sader in mo./day/yr. Clay Well disinfected upon completion: Type: Stage 10' Doh bowl Coarse sand & gravel with clay Coarse sand &						207			~ ~ =			
Fine to medium sand & clay Z36 Z46 Medium to coarse sand Z46 Z56 Medium to coarse sand Z56 Z61 Z	Medium sand				397	333					ł	
Medium to coarse sand 246 256 Titles adopter 12 Inches above grade	Fine to medium sand & clay						·				ļ	
Clay 256 261 15. Well grouted? \(\frac{\text{V}}{\text{With:}}\) Near cement \(\frac{\text{X}}{\text{Clay}}\) New the completion? Coarse sand & gravel with clay 261 269 261 269 262 280 263 280 264 269 265 280 266 280 267 280 267 280 268 280 269 280 269 280 269 280 269 280 27. Pump: Not installed Nanufacturer's name F1 Capacity Series Not No					1		· ·	on:				
Coarse sand & gravel with clay Ochre & shale 269 280 With: Neat cement X Bentonite X Centrers Depths From O ft. to 10 ft. 16. Neary source of possible pentamination: Type: Satage 10" Type Farm Mell disinfected upon completion? Yes X No 17. Pump: Model number 7637 HP 80 Volts Length of drop pipe 280 ft. capacity 800 g.p.m. Type: 8 stage 10" DOH bow1 — Submersible — Jet — Reciprocating Centrifugal Western Well and under my jurisdiction and this report is true to the best of my knowledge and belief. Western Well & Pump 245 Buttern Well & Pump 245 Signed Authorized represembitive Date 4-12 Authorized represembitive Authorized represembitive Authorized represembitive Date 4-12 Western Well account of the possible of the pentamination: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Western Well & Pump 245 Signed Authorized represembitive Date 4-12 Authorized represembitive Authorized represembitive Authorized represembitive Authorized represembitive	Medium to	coarse sand			240	236			2 Inches abo	ove grade		
Coarse sand & gravel with clay 261 269 261 269 262 280 16. Negrest source of possible spentamination: 17. Pump: Not installed Manufacturer's name F1 Oway Model number 7637 HP 80 Volts Length of drop pipe 280 ft. capacity 800 g.p.m. Type: 8 stage 10" DOH bow1 — Submersible — Length of drop pipe 280 ft. capacity 800 g.p.m. Type: 8 stage 10" DOH bow1 — Submersible — Centrifugal — Centrifugal 18. Elevation: 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Western Well & Pump 245 Business groß Box 852 Colby, KS. Signed Address POB Box 852 Colby, KS. Signed Address POB Box 852 Colby, KS.							15. Well grouted?	<u>X</u>	р Х	Clay.	1	
Ochre & shale 269 280 Well disinfected upon completion? Yes X No 17. Pump: Not installed Manufacturer's name F1 OWAY Model number 7637 HP 80 Volts Length of drop pipe 280 ft. capacity 800 g.p.m. Type: 8 Stage 10" DOH bow1 Submersible X Turbine Jet Reciprocating Centrifugal Other 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Western Well & Pimp 245 Business agree Box 852 Colby, KS: Yupland Yalley Authorized representative Authorized representative Authorized representative	Clay					261	Depth: From 0	t. to _	10 ft.	Cencrere	٦ .	
Ochre & shale 269 280 Well disinfected upon completion? Yes X No 17. Pump: Not installed Manufacturer's name F1 OWAY Model number 7637 HP 80 Volts Length of drop pipe 280 ft. capacity 800 g.p.m. Type: 8 Stage 10" DOH bow1 Submersible X Turbine Jet Reciprocating Centrifugal Other 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Western Well & Pimp 245 Business agree Box 852 Colby, KS: Yupland Yalley Authorized representative Authorized representative Authorized representative	Coomas	nd (amarra 1dah a	1		261	260				T	17	
Uchre & shale 269 280	Coarse same & graver with clay					769				v		
Manufacturer's name F1 OWAY Model number 76.37 HP 80 Volts Model number Model number 76.37 HP 80 Volts Model number Model number 76.37 HP 80 Volts Model number Model					269	280		complet			7	
Model number 7637 HP 80 Volts Length of drop pipe 280 ft. capacity 800 g.p.m. Type: 8 stage 10" DOH bow1 Submersible X Turbine Jet Reciprocating Other 18. Elevation: 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Western Well & Plump 245 Business against aga							· .	F1 o		ed	~ <u> </u>	
Type: 8 stage 10" DOH bow1 Submersible X Turbine Jet Reciprocating Centrifugal Other 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Western Well & Pump 245 Business again Box 852 Colby, Ks. Welley Authorized representative Type: 8 stage 10" DOH bow1 Language A Turbine Western Well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Western Well & Pump 245 Business again Box 852 Colby, Ks. Address Do Box 852 Colby, Ks. Address Do Box 852 Colby Authorized representative		***	·				_ _ _ _ _ _ _ _ _	37	нр80		1/0	
Submersible X Turbine Let Reciprocating Other			<u></u>				Length of drop pipe 2	101	ft. capacity 8		<i>⊗</i> ™	
(Use a second sheet if needed)								10				
18. Elevation: 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Western Well & Pump 245 Business name Box 852 Colby, KS. 24. Upland Valley Authorized representative Authorized representative	-										1)/	
Topography: Hill Slope Y Upland Valley Signed Signed Signed Signed Signed Authorized representative This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Western Well & Pump 245 Business name Box 852 Colby, Ks. Signed Authorized representative Signed Authorized representative	<u> </u>	(Use a second st	neet if needed)				Centrifugal		Oth	ner	8 6	
Topography: Hill Slope Y Upland Valley Signed Signe	18. Elevation:	19. Remarks:									100	
Hill Slope Y Upland Valley Western Well & Pump 245 Business name Box 852 Colby, Ks. Address Signed Duty Authorized representative Date 4-12-166	302/ (Tran)							,	•	this report	_	
Business name Box 852 Colby, Ks. W Upland Valley Business name Box 852 Colby, Ks. Address Address Authorized representative Date	Topography:								-	245	7 7	
Valley Address Address Signed Dolland Authorized representative Date 4-12-16/16 Authorized representative							Business name Box			License No.	- i2	
Valley Authorized representative Date							Address	7011	10	121	AVE.	
Form WWC_5	I						Signed Authorize	ed repre	esentative D	ate 7 12	F. N	
	Forward the white, blue	e and pink copies to the Department	of Health and Environment						Form		3	