WATER WELL RECORD	Form WWC-5	Division of	Water Resources; App	o. No.
1 LOCATION OF WATER WELL:	Fraction 5E 1/4 5W 1/4 5E 1/4	Section Numb	er Township Nu	
County: 6 Thus	or city street address of well if	Global Position		nal degrees, min. of 4 digits)
Distance and direction from nearest town of located within city?	15603.5 MILU	Latitude:	ing Systems (deem	nar degrees, min. or 4 digits)
WIST ON UTE RY				
2 WATER WELL OWNER: HONNY	ATWILL	Elevation:		
RR#, St. Address, Box # : 561 (1)	TO RA.	Datum:		
City, State, ZIP Code : Oclobe.	5. HS 67436	Data Collecti	on Method:	
3 LOCATE WELL'S 4 DEPTH OF CO	OMPLETED WELL / OC	Ź	ft.	
LOCATION		/	0	(2)
WITH AN "X" IN Depth(s) Groundw	ater Encountered (1)5/	ft. (2)	ft.	(3) ft.
SECTION BOX: WELL'S STATIC  Pump test	WATER LEVEL. 4.5data: Well water was	.ii. below land sur	tace measured on n	ning gnm
Est. Yield. 10.	gpm: Well water was	ft. after	hours pum	pinggpm
	O BE USED AS: 5 Public wat			
W	Feedlot 6 Oil field water	supply 9	Dewatering	12 Other (Specify below)
2 Irrigation 4	Industrial 7 Domestic (law	n & garden) 10	Monitoring well	
SW SE   XX			7	16 (1)
Was a chemical/ba	cteriological sample submitted tted W	to Department?	res No	; If yes, mo/day/yrs
Sample was subini	w	ater wen dismiect	eur res.	·········
	olet Inon 9 Comparts ti	1- CA	CINIC IODITE. CI-	Clamad
	ght Iron 8 Concrete ti stos-Cement 9 Other (spec	ify below)	SING JOINTS: GR	ldedClamped
2 PVC 4 ABS 7 Fiberg				readed
Blank easing diameter 5 in. to	70 ft., Diameter.	in. to	. ft., Diameter	in. toft.
Blank easing diameter in. to	in., Weight 524.4.6	lbs./ft. Wall	thickness or guage	No
TYPE OF SCREEN OR PERFORATION MA	ATERIAL:			
		9 ABS	\ <u>1</u>	ecify)
2 Brass 4 Galvanized Steal 6 C	Concrete tile, & RM (SR)	0 Asbestos-Ceme	nt 12 None used	(open hole)
SCREEN OR PERFORATION OPENINGS  1 Continuous slot 3 Mill slot 25	ARTOO 7	out 0 Drillad be	oles 11 None (	onen hole)
2 Louvered shutter 4 Key punched	6 Wire wrapped 8 Saw cu	t = 10 Other (sp	ecify)	
2 Louvered shutter 4 Key punched SCREEN-PERFORATED INTERVALS: From 1987	om ft. to	0.0 ft., From	n f	t. to ft.
Fre	om ft. to	ft., Fror	n f	t. to ft.
GRAVEL PACK INTERVALS: Fr	om	ft., Froi	n f	ft. to ft.
, Fr	om ft. to	π., Fror	n 1	τ. το π.
6 GROUT MATERIAL: 1 Neat cement	2 Cement grout 3 Bentonit	4 Other		
Grout Intervals: From5 ft. to	<b>2</b> .5 ft., From	ft. to	ft., From	ft. toft.
What is the nearest source of possible contam				
			3 Insecticide storage	
2 Sewer lines 5 Cess pool		_	4 Abandoned water	well below)
3 Watertight sewer lines 6 Seepage p Direction from well?	,	tilizer storage 1: nany feet? 7.5	Pil well/gas well	
FROM TO LITHOLO			PLUGGING	G INTERVALS
0 / 10 61/	GIO E O G	7.1.	T D C G G I T T	
1 23 Hallow (114)				1.11
23 25 Kend STENE			The state of the s	
05 SI TON CLOY				
51 59 Sand Stone	(Water)			
59 100 CONER CLAY				
700 87000				***
Z CONTRA CTORIS OR LANDOWNER 16	CEDTURICATION /TI-:2	411(1)	200	naturated on (2) always d
7 CONTRACTOR'S OR LANDOWNER'S under my jurisdiction and was completed on (	(mo/day/year) 119 1900	this record is	onstructed (2) recor	v knowledge and bekef
Kansas Water Well Contractor's License No.	This Water Well	Record was compl	eted_on (mo/day/ve	(ar) 1/29 20
under the business name of		by (signature)		I JUDI PI
INSTRUCTIONS: Use typewriter or ball point pen.	PLEASE PRESS FIRMLY and PRINT of	learly. Please fill in b	danks, underline of the	le the correct answers. Send top
three copies to Kansas Department of Health and Enviro	onment, Bureau of Water, Geology Sec OWNER and retain one for your	tion, 1000 SW Jacksor	St., Suite 420, Topeka,	Kansas 66612-1367. Telephone
785-296-5522. Send one to WATER WELL (http://www.kdheks.gov/waterwell/index.html.	SWINER and retain one for your	records. Fee of	55.00 √101 each col	nstructeu wen. visit us at