

WATER WELL RECORD Form WWC-5

Original Record Correction Change in Well Use

Division of Water Resources App. No.

Well ID

Well ID

1 LOCATION OF WATER WELL: County: Fraction Section Number Township Number Range Number

2 WELL OWNER: Last Name: Business: Address: City: State: ZIP: Street or Rural Address where well is located

3 LOCATE WELL WITH 'X' IN SECTION BOX: N W X E S

4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: WELL'S STATIC WATER LEVEL: Pump test data: Estimated Yield: Bore Hole Diameter:

5 Latitude: Longitude: Datum: Source for Latitude/Longitude: 6 Elevation: Source:

7 WELL WATER TO BE USED AS: 1. Domestic: 2. Irrigation: 3. Feedlot: 4. Industrial: 5. Public Water Supply: 6. Dewatering: 7. Aquifer Recharge: 8. Monitoring: 9. Environmental Remediation: 10. Oil Field Water Supply: 11. Test Hole: 12. Geothermal: 13. Other

Was a chemical/bacteriological sample submitted to KDHE? Water well disinfected?

8 TYPE OF CASING USED: CASING JOINTS: TYPE OF SCREEN OR PERFORATION MATERIAL: SCREEN OR PERFORATION OPENINGS ARE: SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS:

9 GROUT MATERIAL: Grout Intervals: Nearest source of possible contamination: Direction from well? Distance from well?

Table with 6 columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Includes a Notes section.

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1547331

Lithology

From	To	LithologicLog
0	2	TOPSOIL
2	10	BR. CLAY
10	28	SANDY CLAY W/ CALICHE
28	54	F/M/C SAND W/ F. GRAVEL
54	65	SANDY CLAY
65	73	F/M/C SAND W/ SM GRAVEL
73	78	SANDY CLAY
78	110	F/M GRAVEL W/ BIG ROCKS
110	114	TAN CLAY
114	120	F/M/C SAND W/ FINE GRAVEL
120	129	SANDY CLAY
129	137	F/M GRAVEL W/ BIG ROCKS
137	166	F/M/C SAND W/ SM./MED GRAVEL
166	172	CLAY
172	196	F/M/C SAND W/ SM/MED GRAVEL
196	210	SANDY CLAY W/ F/M SAND LAYERS
210	221	BR. STICKY CLAY
221	269	BR. STICKY CLAY W/ F/M SAND
269	274	BR. STICKY CLAY
274	304	CLAY W/ SILTY CLAY
304	345	BL. CLAY

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1547331

Lithology

From	To	LithologicLog
345	390	M/C SAND, FINE GRAVEL
390	408	F/M/C SAND W/ SANDY CLAY
408	433	M/C SAND, TR. FINE GRAVEL
433	470	F/M/C SAND W/ LIMEROCK & SILTY CLAY
470	482	MED SAND, SANDY CLAY
482	489	F/M/C SAND W/ LIMEROCK, SS, BR. ROCK
489	536	F/M/C SAND W/ BR. ROCK
536	550	BR. ROCK W/ BLK SOAPSTONE & SILTY CLAY
550	565	F/M/C SAND W/ GRAVEL, ROCK & SS
565	609	SOAPSTONE W/ F. SAND & SS
609	622	SS W/ SILTY CLAY & IRON PYRITE
622	633	SS W/ IRON PYRITE LENSES
633	636	IRON PYRITE
636	639	SAND, SANDSTONE
639	650	RED BED