KOLAR Document ID: 1550767

	WELL R			WWC-5		vision of Wat						
		Correction		ge in Well Use		ources App. 1	-		Well ID			
1 LOCATION OF WATER WELL: Fraction						ction Numb	1 0					
County: 1/4 1/4 1/4												
						treet or Rural Address where well is located (if unknown, distance and						
Business:	di Address:						irection from nearest town or intersection): If at owner's address, check here:					
Address:												
City:			State:	ZIP:								
3 LOCAT	E WELL	4.000					_					
4 DEPTH OF COMPLETED WELL:												
SECTIC	SECTION BOX: Depth(s) Groundwater Encountered: 1)						Longitude:(decimal degrees)					
1	N 2) ft. 3) ft., or 4)					Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:						
				n. yr)			Latitude/Longitude unit make/model:)			
NW	NE			yr)			WAAS enabled?					
19 W	NE	Pump test d				□ Land Survey □ Topographic Map			10)			
w	XE		hours				e Mapper:					
CW	1 1		t .									
Sw	SE		hours	gpm	6 Elevation: ft Counted Level D TOC							
		Estimated Y			6 Elevation:ft. Ground Level TOC							
	S	Bore Hole I			Source	Source: Land Survey GPS Topographic Map						
7 WELL WATER TO BE USED AS:												
1. Domestic	I. Domestic: 5. Dublic Water Supply: well ID Household 6. Dewatering: how many wells?											
	□ Lawn & Garden							\Box Uncased \Box				
	Livestock 2. Monitoring: well ID							al: how many bores				
2. 🗌 Irrigati								Loop Horizont				
3. \Box Feedlo	= 6						b) Open Loop \Box Surface Discharge \Box Inj. of Water					
	4. Industrial Recovery Injection						13. Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Ves No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ PVC □ Other (Specify)												
Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
				ft., From	ft. to	ft., From	1	ft. to	ft.			
	rce of possibl			potential source of cont					· 1 . C/			
☐ Septic ☐ Sewer			Lateral Line Cess Pool	es 🗌 Pit Privy 🗌 Sewage Lag		Livestock Po Fuel Storage			cide Storage			
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)												
Direction from well? ft.												
10 FROM	TO		ITHOLO		FROM	ТО		HO. LOG (cont.) or		G INTERVALS		
				-		-						
[1							
					1							
					Notes:		•					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged												
under my j	urisdiction ar	nd was compl	leted on (n	no-day-year)	and	this record	is tru	e to the best of m	y knowled	ge and belief.		
Kansas Wa	ter Well Con	tractor's Lice	ense No	This Wa	ter Well Red	cord was co	mple	ted on (mo-day-ye	ear)			
under the b	usiness name	<u>e of</u>	XX7 & CDE 15		<u> </u>	1 5 4		1				
KS Denarte				ELL OWNER and retain of Vater Geology Section 10						785-296-3565		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												