	C 0.1		WATE	R WELL RECORD	Form WWC-5	KSA 82a	ı-1212		
LOCATIO	ON OF WAT	ER WELL:	Fraction			tion Number	Township Numb	er	Range Number
Dounty:	Mitch		/VC 1/4			16	<u> T9</u>	s	R 🗱 / EW)
Distance a	nd direction	from nearest to	wn or city street a	address of well if locate	d within city?				Charge and the state of the sta
13 ;	S of Bel	Loit, Kans	as						
WATER	WELL OW	NER: Don P	ruitt						
RR#, St. A	Address, Box	# : Route	1				Board of Agric	ulture, D	ivision of Water Resources
Dity, State,	ZIP Code	Barna	rd, Kansas	67418			Application Nu	mber:	
LOCATE	WELL'S LO	DCATION WITH			. 95	ft. ELEVA	TION: Unknown.		, ,
AN "X"	IN SECTION	N BOX:							ft.
r f	1								6/.2/88
1 1	1	<u>i</u>							nping gpm
4300	- NW		1 .					•	nping gpm
	! !	1							toft.
Ĕ w H	1	E	1	TO BE USED AS:	5 Public water		8 Air conditioning		njection well
-	i	1	1 Domestic				9 Dewatering		Other (Specify below)
مف	SW	SE	2 Irrigation	4 Industrial			•		
	!	0	1 "			-			mo/day/yr sample was sub-
L			1	bacteriological sample	Submitted to D		, 100, 100, 100, 100, 100, 100, 100, 10		No
1	<u>></u>	AONO HOED	mitted	C 146	8 Concr		ter Well Disinfected?	etter in the control of the control	
ju j		ASING USED:	AP9.					- contractions in the contraction	Clamped
1 Ste		3 RMP (S	SH)	6 Asbestos-Cement		(specify below			d
	<u>C</u>	4 ABS							ded
									n. to
	-			.in., weight					Sch. 40
		R PERFORATIO			<u>7 PV</u>		10 Asbesto		
1 Ste	eel	3 Stainles		5 Fiberglass		MP (SR)	•		
2 Bra		4 Galvani		6 Concrete tile	9 AB		12 None u	٠.	· ·
SCREEN (OR PERFOR	RATION OPENII	NGS ARE:		ed wrapped		8 Saw cut		11 None (open hole)
1 Co	ntinuous slo	t 3 N	Aill slot	6 Wire	wrapped		9 Drilled holes		
2 Lo	uvered shutt	er 4 k	Key punched	7 Torcl			· · · · · ·		
SCREEN-F	PERFORATE	ED INTERVALS				95 ft., Fro	m	ft. to)
						ft., Fro)
G	RAVEL PA	CK INTERVALS				ft., Fro		ft. to	,ft.
<u> </u>			: From	20 ft. to .		95ft., Fro ft., Fro	m	ft. to),
La	MATERIAL	: 1 Neat	From Cement	20 ft. to . ft. to 2 Cement grout	3 Bento	95ft., Fro ft., Fro onite 4	m	. ft. to	
GROUT	MATERIAL	: 1 Neat	From Cement	20 ft. to . ft. to 2 Cement grout	3 Bento	95ft., Fro ft., Fro onite 4	m	. ft. to),
GROUT	MATERIAL	.: <u>1 Neat</u> n <u>ົ</u> 0	From Cement	2 Cement groutft., From	3 Bento	95 ft., Fro ft., Fro pnite 4	m	ft. to	
GROUT Grout Inter What is the	MATERIAL	: 1 Neat	From cement	20 ft. to . ft. to 2 Cement grout	3 Bento	95 ft., Fro ft., Fro pnite 4	om Otherft., From	ft. to	
GROUT Grout Inter What is the	MATERIAL vals: From	: 1 Neat	From From cement ft. to .20 contamination: ral lines	2 Cement groutft., From	3 Bento	95ft., Fro ft., Fro onite 4 to	om Otherft., From	ft. to ft	ft. toft. ft. toft. pandoned water well well/Gas well her (specify below)
GROUT Grout Inter What is the 1 Se 2 Se	MATERIAL vals: From e nearest so ptic tank wer lines	.: 1 Neat m	From From cement ft. to .20 contamination: eral lines s pool	ft. to . ft. to . 2 Cement grout ft., From	3 Bento	95ft., Fro ft., Fro onite 4 to	om Other ft., From stock pens storage	ft. to ft	ft. to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew	.: 1 Neat m	From From cement ft. to .20 contamination: eral lines s pool	ft. to ft. ft. ft. ft., From ft., From ft., From Sewage lag	3 Bento	95ft., Fro ft., Fro onite 4 to	om Other ft., From stock pens storage	ft. to ft	ft. toft. ft. toft. pandoned water well well/Gas well her (specify below)
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew	.: 1 Neat m	From From cement ft. to .20 contamination: eral lines s pool	ft. to ft. to ft. to Cement grout ft., From Pit privy Sewage lag Feedyard	3 Bento	95ft., Fro ft., Fro onite 4 to	om Other ft., From stock pens storage lizer storage cticide storage any feet?	ft. to ft	tt. to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well?	.: 1 Neat m	From From cement ft. to .20 contamination: eral lines s pool page pit	ft. to ft. to ft. to Cement grout ft., From Pit privy Sewage lag Feedyard	3 Bento	95ft., Fro ft., Fro onite 4 to	om Other ft., From stock pens storage lizer storage cticide storage any feet?	ft. to ft. to 14 Ab 15 Oi 16 Ot Midd	tt. to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew rom well?	.: 1 Neat m	From From cement ft. to .20 contamination: eral lines s pool page pit	ft. to ft. to ft. to Cement grout ft., From Pit privy Sewage lag Feedyard	3 Bento	95ft., Fro ft., Fro onite 4 to	om Other ft., From stock pens storage lizer storage cticide storage any feet?	ft. to ft. to 14 Ab 15 Oi 16 Ot Midd	tt. to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 20	.: 1 Neat m	From cement ft. to 20 contamination: eral lines s pool page pit LITHOLOGIO	ft. to ft. to ft. to Cement grout ft., From Pit privy Sewage lag Feedyard	3 Bento	95ft., Fro ft., Fro onite 4 to	om Other ft., From stock pens storage lizer storage cticide storage any feet?	ft. to ft. to 14 Ab 15 Oi 16 Ot Midd	tt. to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 20 50	.: 1 Neat m	From cement ft. to 20 contamination: eral lines s pool page pit LITHOLOGIO	ft. to ft. to ft. to Cement grout ft., From Pit privy Sewage lag Feedyard	3 Bento	95ft., Fro ft., Fro onite 4 to	om Other ft., From stock pens storage lizer storage cticide storage any feet?	ft. to ft. to 14 Ab 15 Oi 16 Ot Midd	tt. to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 20 50	.: 1 Neat m	From cement ft. to 20 contamination: eral lines s pool page pit LITHOLOGIO	ft. to ft. to ft. to Cement grout ft., From Pit privy Sewage lag Feedyard	3 Bento	95ft., Fro ft., Fro onite 4 to	om Other ft., From stock pens storage lizer storage cticide storage any feet?	ft. to ft. to 14 Ab 15 Oi 16 Ot Midd	tt. to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 20 50	.: 1 Neat m	From cement ft. to 20 contamination: eral lines s pool page pit LITHOLOGIO	ft. to ft. to ft. to Cement grout ft., From Pit privy Sewage lag Feedyard	3 Bento	95ft., Fro ft., Fro onite 4 to	om Other ft., From stock pens storage lizer storage cticide storage any feet?	ft. to ft. to 14 Ab 15 Oi 16 Ot Midd	tt. to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 20 50	.: 1 Neat m	From cement ft. to 20 contamination: eral lines s pool page pit LITHOLOGIO	ft. to ft. to ft. to Cement grout ft., From Pit privy Sewage lag Feedyard	3 Bento	95ft., Fro ft., Fro onite 4 to	om Other ft., From stock pens storage lizer storage cticide storage any feet?	ft. to ft. to 14 Ab 15 Oi 16 Ot Midd	tt. to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 20 50	.: 1 Neat m	From cement ft. to 20 contamination: eral lines s pool page pit LITHOLOGIO	ft. to ft. to ft. to Cement grout ft., From Pit privy Sewage lag Feedyard	3 Bento	95ft., Fro ft., Fro onite 4 to	om Other ft., From stock pens storage lizer storage cticide storage any feet?	ft. to ft. to 14 Ab 15 Oi 16 Ot Midd	tt. to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 20 50	.: 1 Neat m	From cement ft. to 20 contamination: eral lines s pool page pit LITHOLOGIO	ft. to ft. to ft. to Cement grout ft., From Pit privy Sewage lag Feedyard	3 Bento	95ft., Fro ft., Fro onite 4 to	om Other ft., From stock pens storage lizer storage cticide storage any feet?	ft. to ft. to 14 Ab 15 Oi 16 Ot Midd	tt. to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 20 50	.: 1 Neat m	From cement ft. to 20 contamination: eral lines s pool page pit LITHOLOGIO	ft. to ft. to ft. to Cement grout ft., From Pit privy Sewage lag Feedyard	3 Bento	95ft., Fro ft., Fro onite 4 to	om Other ft., From stock pens storage lizer storage cticide storage any feet?	ft. to ft. to 14 Ab 15 Oi 16 Ot Midd	tt. to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 20 50	.: 1 Neat m	From cement ft. to 20 contamination: eral lines s pool page pit LITHOLOGIO	ft. to ft. to ft. to Cement grout ft., From Pit privy Sewage lag Feedyard	3 Bento	95ft., Fro ft., Fro onite 4 to	om Other ft., From stock pens storage lizer storage cticide storage any feet?	ft. to ft. to 14 Ab 15 Oi 16 Ot Midd	tt. to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 20 50	.: 1 Neat m	From cement ft. to 20 contamination: eral lines s pool page pit LITHOLOGIO	ft. to ft. to ft. to Cement grout ft., From Pit privy Sewage lag Feedyard	3 Bento	95ft., Fro ft., Fro onite 4 to	om Other ft., From stock pens storage lizer storage cticide storage any feet?	ft. to ft. to 14 Ab 15 Oi 16 Ot Midd	tt. to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 20 50	.: 1 Neat m	From cement ft. to 20 contamination: eral lines s pool page pit LITHOLOGIO	ft. to ft. to ft. to Coment grout ft., From Pit privy Sewage lag Feedyard	3 Bento	95ft., Fro ft., Fro onite 4 to	om Other ft., From stock pens storage lizer storage cticide storage any feet?	ft. to ft. to 14 Ab 15 Oi 16 Ot Midd	tt. to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 20 50	.: 1 Neat m	From cement ft. to 20 contamination: eral lines s pool page pit LITHOLOGIO	ft. to ft. to ft. to Coment grout ft., From Pit privy Sewage lag Feedyard	3 Bento	95ft., Fro ft., Fro onite 4 to	om Other ft., From stock pens storage lizer storage cticide storage any feet?	ft. to ft. to 14 Ab 15 Oi 16 Ot Midd	tt. to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 20 50	.: 1 Neat m	From cement ft. to 20 contamination: eral lines s pool page pit LITHOLOGIO	ft. to ft. to ft. to Coment grout ft., From Pit privy Sewage lag Feedyard	3 Bento	95ft., Fro ft., Fro onite 4 to	om Other ft., From stock pens storage lizer storage cticide storage any feet?	ft. to ft. to 14 Ab 15 Oi 16 Ot Midd	tt. to
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 20 50	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 20 50 95	the state of the s	From cement ft. to 20 contamination: eral lines s pool page pit LITHOLOGIC	7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento	ft., From tt., F	om Other Other Stock pens storage lizer storage cticide storage LIT	14 At 15 Oi 16 Ot Midd	ft. to ft. ft. to ft. ft. to ft. ft. to ft. pandoned water well well/Gas well her (specify below) le of pasture C LOG
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 20 50	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 20 50 95	in Neat m	From cement ft. to 20 contamination: eral lines s pool page pit LITHOLOGIC	7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft. goon FROM was (1) constru	ft., From tt., F	onstructed, or (3) plug	ft. to ft	er my jurisdiction and was
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 20 50	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 20 50 95	in Neat in O ource of possible 4 Late 5 Ces our lines 6 See Clay Shale Sand rock OR LANDOWNE //year) . 6/.2/8	From cement ft. to .20 contamination: cral lines s pool page pit LITHOLOGIC ER'S CERTIFICAT S	7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft. goon FROM was (1) constru	ft., From tt., F	onstructed, or (3) plug	ft. to ft	er my jurisdiction and was owledge and belief. Kansas
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 20 50	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 20 50 95 RACTOR'S on (mo/day II Contractor)	in Neat m	From cement ft. to 20 contamination: cral lines s pool page pit LITHOLOGIC ER'S CERTIFICAT 88	7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft. goon FROM was (1) constru	ft., From tt., F	onstructed, or (3) plug ord is true to the best on (mo/day/yr)	ft. to ft	er my jurisdiction and was owledge and belief. Kansas
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 20 50	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 20 50 95	in Neat in O O purce of possible 4 Late 5 Ces rer lines 6 See Clay Shale Sand rock OR LANDOWNE //year) . 6/.2/8 's License No. Impe of Kelly	From cement ft. to .20 e contamination: e cantamination: e page pit LITHOLOGIC ER'S CERTIFICAT 88	7 Pit privy 8 Sewage lag 9 Feedyard LOG	3 Bento ft. goon FROM was (1) constru	ft., From tt., F	onstructed, or (3) plug ord is true to the best of on (mo/day/yr)	ged und	er my jurisdiction and was owledge and belief. Kansas

records.