



Dual Compensated
Porosity Log

DIGITAL LOG (785) 625-3858

API No. 15-109-20,872-00-00

Company Brito Oil Company, Inc.
Well Fairleigh No. 1-7
Field Wildcat
County Logan
State Kansas

Location 990' FSL & 330' FWL
Sec: 7 Twp: 15S Rge: 32W

Other Services
DIL
MEL/BHCS

Permanent Datum Ground Level Elevation 2779
Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Elevation
K.B. 2784
D.F. G.L. 2779

Date 01/29/2010

Run Number One

Type Log CNL / CDL

Depth Driller 4610

Depth Logger 4610

Bottom Logged Interval 4589

Top Logged Interval 3400

Type Fluid In Hole Chemical

Salinity, PPM CL 1,500

Density 9.3

Level Full

Max. Rec. Temp. F 124

Operating Rig Time 5 Hours

Equipment -- Location 10 Hays

Recorded By Jason Wellbrock

Witnessed By Jeff Christian

Run No	Bit	Borehole Record		Casing Record	
		From	To	From	To
1	12.25	00	209	8.625	24#
2	7.875	209	4610		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Oakley 24S to Gold rd, 4 W, 2 S, E Into

Database File: c:\warrior\data\brito oil_fairleigh no. 1-7\brito hd.db
 Dataset Pathname: dil\brito2in
 Presentation Format: cdl
 Dataset Creation: Fri Jan 29 10:11:19 2010
 Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (in)	16

30	Compensated Density (pu)			-10	
2	Bulk Density (g/cc)			3	
15000	Line Tension (lb)			0	
2.625	DGA (g/cc)	3.425	-0.25	Correction (g/cc)	0.25

LSPD
(ft/min)

















