LOG-TECH

DIGITAL LOG (785) 625-3858

Dual Induction Log

API No. 15-051-25,898-00-00

Company Raymond Oil Co.

Well Pfeifer No. 1

Field Wildcat

County Ellis State Kansas


Location 968' FSL & 1712' FWL


Sec: 14 Twp: 12 S Rge: 19 W


Other Services
CNL/CDL
MEL/BHCS


Elevation
K.B. 2235
D.F.
G.L. 2230


| | | |



0 Gamma Ray 150
-200 SP (MV) 0
0 Shallow Resistivity (Ohm-m) 50
0 Deep Resistivity (Ohm-m) 50
1000 Conductivity (mmho/m) 0
15000 Line Tension (lb) 0
LSPD
(ft/min)
Shallow Resistivity
50 (Ohm-m) 500
50 Deep Resistivity (Ohm-m) 500
200
250
300
350
400
450
500
550
600
650
-62
-62
-62
-62
-55
-64
-73
-73
-74



700
750
800
850
900
950
1000
1050
1100
1150
-73
-73
-73
-71
-71
-71
-71
-71
-71
-71



1200
1250
1300
1350
1400
1450
1500
1550
1600
1650
1700
-69
-69
-69
-69
-69
-69
-41
-74
-74
-74


1750
1800
1850
1900
1950
2000
2050
2100
2150
2200
2250
-74
-74
-75
-72
-72
-72
-72
-73
-72
-72
-72



2300
2350
2400
2450
2500
2550
2600
2650
2700
2750
2800
-74
-67
-71
-68
-70
-70
-70
-70
-70
-70
-70


2850
2900
2950
3000
3050
3100
3150
3200
3250
3300
3350
-68
-68
-32
-32
-32
-32
-32
-30
-30
-30
-31


3400
3450
3500
3550
3600
3650
3700
3750
3800
3850
3900
-31
-31
-31
-31
-31
-30
-30
-30
-29
-29
-29



Database File: c:\warrior\data\raymond_pfeifer no. 1\rayhd.db
Dataset Pathname: DIL/raystk
Presentation Format: dil
Dataset Creation: Wed Sep 23 19:40:01 2009
Charted by: Depth in Feet scaled 1:240



-200	SP (MV)	0
-160	Rxo / Rt	40

0.2	Medium Resistivity (Ohm-m)	2000
0.2	Shallow Resistivity (Ohm-m)	2000
15000	Line Tension (lb)	0


LSPD
(ft/min)


Database File:	c:\warrior\data\raymond_pfeifer no. 1\rayhd.db
Dataset Pathname:	DIL/raystk
Presentation Format:	dil
Dataset Creation:	Wed Sep 23 19:40:01 2009
Charted by:	Depth in Feet scaled 1:240


0	Gamma Ray	150
-200	SP (MV)	0
-160	Rxo / Rt	40


0.2	Deep Resistivity (Ohm-m)	2000
0.2	Medium Resistivity (Ohm-m)	2000
0.2	Shallow Resistivity (Ohm-m)	2000
15000	Line Tension (lb)	0


LSPD
(ft/min)




3150
3200
3250
3300
-32
-30
-30
-30


3350
3400
3450
3500
3550
-31
-31
-31
-31


3600
3650
3700
3750
-31
-30
-30
-30



0	Gamma Ray	150
-200	SP (MV)	0
-160	Rxo / Rt	40

0.2	Deep Resistivity (Ohm-m)	2000
0.2	Medium Resistivity (Ohm-m)	2000
0.2	Shallow Resistivity (Ohm-m)	2000
15000	Line Tension (lb)	0

LSPD
(ft/min)