



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-101-22,125-00-00

Company H & M Petroleum Corp.

Well Doyle's Dome No. 5

Field Doyle's Dome

County Lane State Kansas

Location 660' FSL & 3223' FEL

Sec: 31 Twp: 17S Rge: 30W

Other Services
DIL
MEL

Permanent Datum Ground Level Elevation 2893

Log Measured From Kelly Bushing 11 Ft. Above Perm. Datum

K.B. 2904
D.F.
G.L. 2893

Date 10/30/2008

Run Number One

Type Log CNL / CDL

Depth Driller 4690

Depth Logger 4688

Bottom Logged Interval 4667

Top Logged Interval 3550

Type Fluid In Hole Chemical

Salinity, PPM CL 3,200

Density 9.2

Level Full

Max. Rec. Temp. F 125

Operating Rig Time 3 Hours

Equipment -- Location 10 Hays

Recorded By Jason Wellbrock

Witnessed By Randy Say

Borehole Record

Run No Bit From To Size Wgt. From To

1 12.25 00 225 8.625 24# 00 225

2 7.875 225 4690

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Healy W to Venison Rd, 5 S, 2 E, N Into




Database File: c:\warrior\data\h&m_doyle's dome no. 5\h&mhd.db
Dataset Pathname: dil\h&m2in
Presentation Format: cdl
Dataset Creation: Thu Oct 30 08:06:39 2008
Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150
6	Caliper (GAPI)	16


30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			




















0	Gamma Ray	150
6	Caliper (GAPI)	16
30	Compensated Neutron (Limestone)	-10
30	Compensated Density (2.71 ma)	-10
2.625	DGA	3.425
-0.25	Correction	0.25
15000	Line Tension	0

		15000	Line Tension	0
				LSPD