



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-185-23,556-00-00

Company Murfin Drilling Company, Inc.

Well Sizzler No. 1-6

Field Drach

County Stafford

State Kansas

Location 1320' FSL & 330' FWL

Sec: 6

Twp: 22 S

Rge: 12 W

Other Services
DIL
MEL/BHCS

Permanent Datum Ground Level Elevation 1875

Log Measured From Kelly Bushing 11 Ft. Above Perm. Datum

K.B. 1886
D.F. 1875
G.L. 1875

Date 10/30/2008

Run Number One

Type Log CNL / CDL

Depth Driller 3800

Depth Logger 3801

Bottom Logged Interval 3780

Top Logged Interval 2800

Type Fluid In Hole Chemical

Salinity, PPM CL 9,000

Density 9.2

Level Full

Max. Rec. Temp. F 116

Operating Rig Time 6 Hours

Equipment -- Location 4 K. Bange

Recorded By J. Loffredi

Witnessed By Terry McCleod

Borehole Record

Casing Record

Run No

Bit From

To

Size

Wgt.

From

To

1 12.25

00

724

8.625

24#

00

724

2 7.875

724

3800

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


South of Great Bend to Hwy 19, 3 E, 1/2 N, E into

Database File: c:\warrior\data\murfin_sizzler no. 1-6\murfinhd.db
Dataset Pathname: dil\murf2in
Presentation Format: cdl
Dataset Creation: Thu Oct 30 20:01:56 2008
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density	-10
2	Bulk Density	3
15000	Line Tension	0
-0.25		Correction
		0.25
LSPD		





0	Gamma Ray	150	30	Compensated Density	-10	
6	Caliper (GAPI)	16	2	Bulk Density	3	
			15000	Line Tension	0	
				-0.25	Correction	0.25
						LSPD

Database File: c:\warrior\data\murfin_sizzler no. 1-6\murfinhd.db
 Dataset Pathname: dil/murf2in
 Presentation Format: cndlspec
 Dataset Creation: Thu Oct 30 20:01:56 2008
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	30	Compensated Neutron (Limestone)	-10
6	Caliper (GAPI)	16	30	Compensated Density (2.71 ma)	-10
			15000	Line Tension	0
				-0.25	Correction
					0.25
					LSPD

