



**Borehole Compensated
Sonic Log**

DIGITAL LOG (785) 625-3858

| | | | |
|---|---|---|--|
| API No. 15-153-20,866-00-00 | Company McCoy Petroleum Corporation | Location 600' FSL & 1850' FWL | Other Services CNL/CDL MEL/DIL |
| Well Cheney Trust 'A' No.1-25 | State Kansas | | |
| Field Wildcat | County Rawlins | Sec: 25 Twp: 5S Rge: 31W | Elevation K.B. 2934 D.F. 2929 G.L. 2929 |
| Log Measured From Kelly Bushing | Ground Level Kelly Bushing | Elevation 2929 | |
| Drilling Measured From Kelly Bushing | 5 Ft. Above Perm. Datum | | |

| | | | | | |
|------------------------|----------------|---------------|------|-------|------|
| Date | 10/28/2008 | | | | |
| Run Number | Two | | | | |
| Type Log | BHC Sonic | | | | |
| Depth Driller | 4525 | | | | |
| Depth Logger | 4526 | | | | |
| Bottom Logged Interval | 4515 | | | | |
| Top Logged Interval | 200 | | | | |
| Type Fluid In Hole | Chemical | | | | |
| Salinity, PPM CL | 2,400 | | | | |
| Density | 9.3 | | | | |
| Level | Full | | | | |
| Max. Rec. Temp. F | 121 | | | | |
| Operating Rig Time | 5 Hours | | | | |
| Equipment -- Location | 17 Hays | | | | |
| Recorded By | C. Desaire | | | | |
| Witnessed By | Robert Hendrix | | | | |
| Borehole Record | | Casing Record | | | |
| Run No | Bit | From | To | Size | Wgt. |
| 1 | 12.25 | 00 | 220 | 8.625 | 24# |
| 2 | 7.875 | 220 | 4525 | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Rexford, 6 1/2 N,
1 W, 1 N, 1/2 E, N Into

Database File: c:\warrior\data\mccoy_cheney trust 'a' no.1-25\mccoyhd.db
 Dataset Pathname: dil/mcystk
 Presentation Format: sonic
 Dataset Creation: Tue Oct 28 17:44:21 2008
 Charted by: Depth in Feet scaled 1:240

| | | | | | | |
|-----|----------------|-----|-----------|-------|----------------------------|-----|
| 0 | Gamma Ray | 150 | Sonic Int | 140 | Delta Time (usec/ft) | 40 |
| 150 | Gamma Ray | 300 | 5 | 0 | Sonic Porosity (Limestone) | -10 |
| 6 | Caliper (GAPI) | 16 | | 10000 | LTEN (lb) | 0 |

LSPD







































