



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.	15-153-20,866-00-00		
Company	McCoy Petroleum Corporation		
Well	Cheney Trust 'A' No.1-25		
Field	Wildcat		
County	Rawlins	State	Kansas
Location	600' FSL & 1850' FWL		
Sec: 25	Twp: 5S	Rge: 31W	
Permanent Datum	Ground Level	Elevation 2929	Other Services CNL/CDL DIL/BHCS
Log Measured From	Kelly Bushing	5 Ft. Above Perm. Datum	K.B. 2934
Drilling Measured From	Frotkelly Bushing		D.F. 2929
Date	10/28/2008		

Run Number	Two		
Depth Driller	4525		
Depth Logger	4526		
Bottom Logged Interval	4525		
Top Log Interval	3600		
Casing Driller	8.625 @ 220		
Casing Logger	218		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	2,400		
Density / Viscosity	9.3	67	
pH / Fluid Loss	9.5	9.6	
Source of Sample	Flowline		
Rm @ Meas. Temp	1.35 @ 59		
Rmf @ Meas. Temp	1.01 @ 59		
Rmc @ Meas. Temp	1.82 @ 59		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.66 @ 121		
Operating Rig Time	5 Hours		
Max Rec. Temp. F	121		
Equipment Number	17		
Location	Hays		
Recorded By	C. Desaire		
Witnessed By	Robert Hendrix		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858



Rexford, 6 1/2 N,
1 W, 1 N, 1/2 E, N Into

Database File: c:\warrior\data\mccoy_cheney trust 'a' no.1-25\mcoyhd.db
 Dataset Pathname: dil/mcystk
 Presentation Format: micro
 Dataset Creation: Tue Oct 28 17:44:21 2008
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0

LSPD



3600

-30

3650


-29

3700

-30

3750

-30




3800

3850

3900

3950

4000




-29

-30

-30

-30

-30




4050

4100

4150

4200




-31

-31

-30

-30




4250

4300

4350

4400



-30

-26

-26

-26

