LOG-TECH

DIGITAL LOG (785) 625-3858

Microresistivity Log

API No. 15-065-23,483-00-00

Company Clipper Energy, LLC

Well Corey No.2

Field McFarland South

County Graham State Kansas

Location SW NW NE NE
650' FNL & 1025' FEL
Sec: 8 Twp: 7S Rge: 21W

Other Services
CNL/CDL
DIL

Elevation
K.B. 2166
D.F.
G.L. 2158

Permanent Datum Ground Level
Log Measured From Kelly Bushing 8 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Date	10/27/2008		
Run Number	Two		
Depth Driller	3762		
Depth Logger	3762		
Bottom Logged Interval	3761		
Top Log Interval	2800		
Casing Driller	8.625 @ 221		
Casing Logger	220		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity,ppm CL	900		
Density / Viscosity	9.1 / 51		
pH / Fluid Loss	11.5 / 7.6		
Source of Sample	Flowline		
Rm @ Meas. Temp	1.5 @ 44		
Rmf @ Meas. Temp	1.125 @ 44		
Rmc @ Meas. Temp	2.025 @ 44		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.58 @ 113		
Operating Rig Time	3 1/2 Hours		
Max Rec. Temp. F	113		
Equipment Number	17		
Location	Hays		
Recorded By	C. Desaire		
Witnessed By	Bill Robinson		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Bogue, 7 N, W Into


Database File: clipper2hd.db
Dataset Pathname: dil/clprstk
Presentation Format: micro
Dataset Creation: Mon Oct 27 05:30:33 2008
Charted by: Depth in Feet scaled 1:240


0 Gamma Ray 150
6 Micro Log Caliper (GAPI) 16
-200 SP 0
0 Micro Inverese 1 X 1 40
0 Micro Normal 2'' 40
10000 Line Weight 0
LSPD
2800
2850
2900
2950
-31
-31
-30
-30


3000
3050
3100
3150
3200
-30
-30
-30
-30
-30


3250
3300
3350
3400
-30
-30
-30
-30


3450
-30
3500
-30
3550
-26
3600
-26


3650
3700
3750
-26
-26
-26
0
Gamma Ray
150
6
Micro Log Caliper (GAPI)
16
-200
SP
0
0
Micro Inverese 1 X 1
40
0
Micro Normal 2''
40
10000
Line Weight
0
LSPD