



Borehole Compensated Sonic Log

DIGITAL LOG (785) 625-3858

API No.

15-145-21,578-00-00

Company F.G. Holl Company, LLC

Well Ward Feed Yard 'B' No. 2-30

Field JAC

County Pawnee State Kansas

Location SW - SW - NE - NE
1260' FNL & 1100' FEL

Sec: 30 Twp: 21 S Rge: 15 W

Permanent Datum Ground Level Elevation 1959

Log Measured From Kelly Bushing 8 Ft. Above Perm. Datum

Drilling Measured From Kelly Bushing

Other Services
CNL / CDL
MEL/DIL

Elevation
K.B. 1967
D.F. 1959
G.L. 1959

Date 10/21/2008

Run Number two

Type Log BHC Sonic

Depth Driller 4050

Depth Logger 4052

Bottom Logged Interval 4041

Top Logged Interval 900

Type Fluid In Hole Chemical

Salinity, PPM CL 10,000

Density 9.1

Level Full

Max. Rec. Temp. F 117

Operating Rig Time 6 Hours

Equipment -- Location 15 Hays

Recorded By B. Becker

Witnessed By

Borehole Record Casing Record

Run No Bit From To Size Wgt. From To

1 12.25 00 948 8.625 24# 00 948

2 7.875 948 4050

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Pawnee Rock, Ks; South West on 56 Hwy to O Rd; 3 East; South into

Database File: c:\warrior\data\fg holl_ward feed yard 'b' no. 2-30\fg hollhd.db
Dataset Pathname: DIL/fgholl
Presentation Format: sonic
Dataset Creation: Tue Oct 21 18:59:42 2008
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	Sonic Porosity (Limestone)	-10
6	Caliper (GAPI)	16			LTEN (lb)	0

LSPD





























