



Borehole Compensated Sonic Log

DIGITAL LOG (785) 625-3858

API No. 15-109-20,825-00-00		Company Murfin Drilling Company, Inc.					
Well Scheeber #1-6		Field Wildcat					
County Logan		State Kansas					
Location NW SW SE NE 2030' FNL & 1260' FEL		Other Services CNL / CDL MEL / DIL					
Sec: 6 Twp: 13S Rge: 32W		Elevation K.B. 3061 D.F. 3051 G.L. 3051					
Permanent Datum Ground Level Elevation 3051		Log Measured From Kelly Bushing 10 Ft. Above Perm. Datum					
Drilling Measured From Kelly Bushing							
Date 10/18/2008	Run Number Two						
Type Log BHC Sonic	Depth Driller 4731						
Depth Logger 4726	Bottom Logged Interval 4715						
Top Logged Interval 200	Type Fluid In Hole Chemical						
Salinity, PPM CL 3,800	Density 9.2						
Level Full	Max. Rec. Temp. F 123						
Operating Rig Time 4 1/2 Hours	Equipment -- Location 4 Hays						
Recorded By T. Martin	Witnessed By Tom Funk						
Borehole Record		Casing Record					
Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	222	8.625	23#	00	222
Two	7.875	222	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.



Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Oakley, 11S to Gove blktp, 3 1/2 W, S into



0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	Sonic Porosity (Limestone)	-10
6	Caliper (GAPI)	16			LTEN (lb)	0



LSPD











































































0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	Sonic Porosity (Limestone)	-10
6	Caliper (GAPI)	16		10000	UTEN (lb)	0

0	Caliper (GAIN)	10	10000	ETEN (IS)	0
					LSPD