



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-109-20,825-00-00

Company Murfin Drilling Company, Inc.

Well Scheeber #1-6

Field Wildcat

County Logan

State Kansas

Location

NW SW SE NE
2030' FNL & 1260' FEL

Other Services
DIL
MEL / BHCS

Sec: 6

Twp: 13S

Rge: 32W

Elevation

Permanent Datum Ground Level Elevation 3051
Log Measured From Kelly Bushing 10 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

K.B. 3061
D.F.
G.L. 3051

Date

10/18/2008

Run Number

One

Type Log

CNL / CDL

Depth Driller

4731

Depth Logger

4726

Bottom Logged Interval

4705

Top Logged Interval

3700

Type Fluid In Hole

Chemical

Salinity, PPM CL

3,800

Density

9.2

Level

Full

Max. Rec. Temp. F

123

Operating Rig Time

4 1/2 Hours

Equipment -- Location

4 Hays

Recorded By

T. Martin

Witnessed By

Tom Funk

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

From

To

One

12.25

00

222

8.625

23#

00

222

Two

7.875

222

TD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Oakley, 11S to Gove blktp, 3 1/2 W, S into

Database File: c:\warrior\data\murfin_scheeber #1-6\mrfnhd.db
Dataset Pathname: DIL/mfnstk
Presentation Format: cdl
Dataset Creation: Sat Oct 18 02:45:38 2008
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density	-10
2	Bulk Density	3
15000	Line Tension	0
-0.25	Correction	0.25
LSPD		





0	Gamma Ray	150	30	Compensated Density	-10
6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
			-0.25	Correction	0.25
			LSPD		

Database File:	c:\warrior\data\murfin_scheeber #1-6\mrfnhd.db
Dataset Pathname:	DIL/mfnstk
Presentation Format:	cnldspec
Dataset Creation:	Sat Oct 18 02:45:38 2008
Charted by:	Depth in Feet scaled 1:240

0	Gamma Ray	150	30	Compensated Neutron (Limestone)	-10
6	Caliper (GAPI)	16	30	Compensated Density (2.71 ma)	-10
			15000	Line Tension	0
			-0.25	Correction	0.25
			LSPD		

