



Dual Compensated
Porosity Log

DIGITAL LOG (785) 625-3858

API No.	15-063-21,777-00-00		
Company	Pintail Petroleum, Ltd		
Well	Beesley 'DPR' No. 1-29		
Field	Jim North		
County	Gove	State Kansas	
Location	340' FNL & 2290' FEL		
Sec: 29	Twp: 14S	Rge: 28W	
Permament Datum	Ground Level	Elevation 2606	
Log Measured From	Kelly Bushing	5	Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing		
Date	5/29/2009	Elevation	
Run Number	One	K.B. 2611	
Type Log	CNL / CDL	D.F. 2606	
Depth Driller	4380		
Depth Logger	4382		
Bottom Logged Interval	4361		
Top Logged Interval	3600		
Type Fluid In Hole	Chemical		
Salinity, PPM CL	2000		
Density	9.4		
Level	Full		
Max. Rec. Temp. F	122		
Operating Rig Time	2.5 Hours		
Equipment -- Location	17 Hays		
Recorded By	Mike Garrison		
Witnessed By	Flip Phillips		

Borehole Record				Casing Record			
Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	0	220	8.625	24#	0	219
Two	7.875	220	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Gove 10 South, 2 1/2 East, South Into

Database File: pintailhd.db
 Dataset Pathname: dil/pinstck
 Presentation Format: cdl
 Dataset Creation: Fri May 29 12:35:50 2009
 Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density	-10
2	Bulk Density	3
15000	Line Tension	0
	-0.25	0.25
	Correction	
		LSPD











