



Dual Compensated
Porosity Log

DIGITAL LOG (785) 625-3858

API No.	15-159-22,593-00-00	
Company	Te-Pe Oil & Gas	
Well	Reese No.4	
Field	Chase-Silica	
County	Rice	State Kansas
Location	SE NW NW 990' FNL & 990' FWL	
Sec: 16	Twp: 19S	Rge: 9W
Permanent Datum	Ground Level	Elevation 1694
Log Measured From	Kelly Bushing	10 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	
Date	2/24/2009	
Run Number	One	
Type Log	CNL / CDL	
Depth Driller	3361	
Depth Logger	3358	
Bottom Logged Interval	3337	
Top Logged Interval	2500	
Type Fluid In Hole	Chemical	
Salinity, PPM CL	3,600	
Density	8.5	
Level	Full	
Max. Rec. Temp. F	110	
Operating Rig Time	3 Hours	
Equipment -- Location	15 Hays	
Recorded By	C. Desaire	
Witnessed By	Terry Bandy	Josh Austin

Run No	Bit	Borehole Record		Size	Wgt. 24#	Casing Record	
		From	To			From	To
1	12.25	00	365	8.625	24#	00	365
2	7.875	365	3361				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Hwy 4 & Chase Blkt, 8 S, 1 E, 1/4 S, E Into


Database File: c:\warrior\data\te-pe_reese no.4\te-pehd.db
 Dataset Pathname: dil\tepestk
 Presentation Format: cdl
 Dataset Creation: Tue Feb 24 09:52:53 2009
 Charted by: Depth in Feet scaled 1:600

0	Gamma Ray (GAPI)	150
6	Caliper (GAPI)	16

30	Compensated Density (pu)			-10	
2	Bulk Density (g/cc)			3	
15000	Line Tension (lb)			0	
2.625	DGA (g/cc)	3.425	-0.25	Correction (g/cc)	0.25

LSPD
(ft/min)





Database File: c:\warrior\data\te-pe_reese no.4\te-pehd.db
 Dataset Pathname: dil/tepestk
 Presentation Format: cndlspec
 Dataset Creation: Tue Feb 24 09:52:53 2009
 Charted by: Depth in Feet scaled 1:240



Gamma Ray (GAPI)	100
Caliper (GAPI)	16

30	Compensated Neutron (Limestone) (pu)			-10	
2.625	DGA (g/cc)	3.425	-0.25	Correction (g/cc)	0.25
15000	Line Tension (lb)			0	

LSPD (ft/min)

