

LOG-TECH



Dual Induction Log

DIGITAL LOG

(785) 625-3858

API No.

15-009-25,307-00-00

Company Credo Petroleum Corp.

Well Klepper CPC No. 1-15

Field Lanterman

County Barton State Kansas

Location 1780' FNL & 690' FEL
SE - NW - SE - NE

Sec: 15 Twp: 19S Rge: 11W

Other Services
CNL/CDL
MEL/BHCS

Permanent Datum Ground Level Elevation 1776

Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum

Drilling Measured From Kelly Bushing K.B. 1781
D.F. 1776
G.L. 1776

Date 02/16/2009

Run Number One

Depth Driller 3397

Depth Logger 3400

Bottom Logged Interval 3399

Top Log Interval 250

Casing Driller 8.625 @ 261

Casing Logger 261

Bit Size 7.875

Type Fluid in Hole Chemical

Salinity, ppm CL 8.800

Density / Viscosity 9.1 49

pH / Fluid Loss 9.5 10.0

Source of Sample Flowline

Rm @ Meas. Temp .85 @ 65

Rmf @ Meas. Temp .63 @ 65

Rmc @ Meas. Temp 1.14 @ 65

Source of Rmf / Rmc Charts

Rm @ BHT .49 @ 112

Operating Rig Time 5 Hours

Max Rec. Temp. F 112

Equipment Number 10

Location Hays

Recorded By J Wellbrock

Witnessed By Jim Musgrove

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858




Ellinwood 3 E, 4 N, W Into



Database File: c:\warrior\data\credo_klepper cpc no. 1-15\credohd.db
Dataset Pathname: dil/credo2in
Presentation Format: dil2in
Dataset Creation: Mon Feb 16 03:48:01 2009
Charted by: Depth in Feet scaled 1:600




0	Gamma Ray	150
-200	SP	0




0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500


















	1000	Conductivity	0
	15000	Line Tension	0
	50	Shallow Resistivity	500
	50	Deep Resistivity	500

Database File:	c:\warrior\data\credo_klepper cpc no. 1-15\credohd.db
Dataset Pathname:	dil\credo2in
Presentation Format:	dil
Dataset Creation:	Mon Feb 16 03:48:01 2009
Charted by:	Depth in Feet scaled 1:240

0	Gamma Ray	150	0.2	Deep Resistivity	2000
-200	SP	0	0.2	Medium Resistivity	2000
-160	Rxo / Rt	40	0.2	Shallow Resistivity	2000
			15000	Line Tension	0
					LSPD






1650

1700

1750

1800

1850




-29

-30

-30

-29

-29




1900

1950

2000

2050




-29

-29

-29

-29




2100

2150

2200

2250




-30

-30

-28

-28




2300

2350

2400

2450

2500




-28

-28

-28

-29

-28




2550

2600

2650

2700




-11

-33

-34

-34




2750

2800

2850

2900




-36

-32

-32

-32




2950

3000

3050

3100

3150




-32

-32

-32

-33

-32





3200

3250


3300

3350





3400



-27

LSPD