



Borehole Compensated Sonic Log

DIGITAL LOG (785) 625-3858

API No.

15-171-20,713-00-00

Company Berexco, Inc.

Well Joyce No. 1

Field Wildcat

County Scott

State Kansas

Location

NE-NW
660' FNL & 1990' FWL

Other Services
CNL/CDL
MEL/DIL

Sec: 36 Twp: 16 S Rge: 32 W

Permanent Datum Ground Level Elevation 2963

Log Measured From Kelly Bushing 13 Ft. Above Perm. Datum

K.B. 2976
D.F.
G.L. 2963

Date 2/8/09

Run Number Two

Type Log BHC Sonic

Depth Driller 4760

Depth Logger 4756

Bottom Logged Interval 4745

Top Logged Interval 300

Type Fluid In Hole Chemical

Salinity, PPM CL 1,000

Density 9.2

Level Full

Max. Rec. Temp. F 126

Operating Rig Time 6 Hours

Equipment -- Location 4 Hays

Recorded By K. Bange

Witnessed By Brian Bynog

Borehole Record

Casing Record

Run No	Bit	From	To	Size	Wgt.	From	To
--------	-----	------	----	------	------	------	----

1	12.25	00	328	8.625	24#	00	328
---	-------	----	-----	-------	-----	----	-----

2	7.875	328	4760				
---	-------	-----	------	--	--	--	--

--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.



Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Healy, W to MM 5, N 1 1/2, E into



Database File: c:\warrior\data\berexco_joyce no. 1\berexcohd.db
Dataset Pathname: dil\ber2in
Presentation Format: sonic
Dataset Creation: Sun Feb 08 23:52:51 2009
Charted by: Depth in Feet scaled 1:240



0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	SPOR	-10
6	Caliper (GAPI)	16			LTEN (lb)	0
						LSPD











































































0	Gamma Ray	150
150	Gamma Ray	300
6	Caliper (GAPI)	16



Sonic Int	140	Delta Time (u sec/ft)	40
5	0	SPOR	-10
	10000	LTEN (lb)	0

LSPD