



SUPERIOR
Hays,
Kansas

DUAL
INDUCTION
LOG

Company	TRANS PACIFIC OIL CORPORATION		
Well	#1-4 TUSTIN UNIT "A"		
Field	WILDCAT		
County	GOVE	State	KANSAS
Location:	API # : 15-063-21764 2479' FNL & 1071' FWL		Other Services CDL/CNL SONIC
Permanent Datum	GROUND LEVEL	Elevation	2597
Log Measured From	KELLY BUSHING 9' A.G.L.		
Drilling Measured From	KELLY BUSHING		
	SEC 4	TWP 14S	RGE 28W
			Elevation K.B. 2606 D.F. G.L. 2597

Date	2-2-09		
Run Number	ONE		
Depth Driller	4410		
Depth Logger	4409		
Bottom Logged Interval	4407		
Top Log Interval	00		
Casing Driller	211		
Casing Logger	211		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.1 / 53		
pH / Fluid Loss	11.0 / 8.8		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	0.90 @ 84F		
Rinf @ Meas. Temp	0.68 @ 84F		
Rmc @ Meas. Temp	1.08 @ 84F		
Source of Rinf / Rmc	FLOWLINE		
Rim @ BHT	.640 @ 119F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	119F		
Equipment Number	0860		
Location	HAYS, KS.		
Recorded By	RUPP		
Witnessed By	KEVIN KESSLER		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: GOVE, S TO RD. "0", 2E, 1S, 1E, 1 1/2S, SE INTO.



SUPERIOR
Hays,
Kansas

MAIN SECTION

Database File: 003231ddn.db
Dataset Pathname: pass3.1
Presentation Format: dil2
Dataset Creation: Mon Feb 02 10:13:29 2009 by Calc Open-Cased 051020
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray (GAPI)	150
-100	SP (mV)	100


0	RLL3 (Ohm-m)	50
---	--------------	----


0	Deep Induction (Ohm-m)	50
---	------------------------	----

1000	CILD (mmho-m)	0
------	---------------	---



50	RILD X10 (Ohm-m)	500
----	------------------	-----


50	RLL3 X10 (Ohm-m)	500
----	------------------	-----









450
500
550
600
650
700
750
800
850
900
950





1000
1050
1100
1150
1200
1250
1300
1350
1400
1450
1500





2100

2150

2200

2250

2300

2350


2400



2450


2500

2550

2600







3200

3250

3300

3350

3400

3450



3500


3550

3600

3650

3700





3750

3800

3850

3900

3950

4000



4050


4100

4150

4200

4250







SUPERIOR
Hays,
Kansas

MAIN SECTION

Database File: 003231ddn.db
 Dataset Pathname: pass3.1
 Presentation Format: dil
 Dataset Creation: Mon Feb 02 10:13:29 2009 by Calc Open-Cased 051020
 Charted by: Depth in Feet scaled 1:240


0	Gamma Ray (GAPI)	150	0.2	Guard (Ohm-m)	2000
-100	SP (mV)	100	0.2	Deep Induction (Ohm-m)	2000
-250	RxoRt	50	0.2	Medium Induction (Ohm-m)	2000





2100


2150



SUPERIOR
Hays,
Kansas


MAIN SECTION


Database File: 003231ddn.db
 Dataset Pathname: pass3.1
 Presentation Format: dil
 Dataset Creation: Mon Feb 02 10:13:29 2009 by Calc Open-Cased 051020
 Charted by: Depth in Feet scaled 1:240



3500

3550







3600

3650

3700

3750






3800


3850

3900

3950

4000







4050

4100

4150

4200





4250

4300

RxoRt

4350


GR

FR SP

4400

--- TD ---

0	Gamma Ray (GAPI)	150
-100	SP (mV)	100
-250	RxoRt	50



FR RILD

FR RILM

FR RLL3

0.2	Guard (Ohm-m)	2000
0.2	Deep Induction (Ohm-m)	2000
0.2	Medium Induction (Ohm-m)	2000



SUPERIOR


Hays,
Kansas

REPEAT SECTION

Database File: 003231ddn.db
Dataset Pathname: pass2.1A
Presentation Format: dil
Dataset Creation: Mon Feb 02 11:52:44 2009
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150
-100	SP (mV)	100
-250	RxoRt	50

0.2	Guard (Ohm-m)	2000
0.2	Deep Induction (Ohm-m)	2000
0.2	Medium Induction (Ohm-m)	2000





4200

4250

4300


4350





0	Gamma Ray (GAPI)	150
-100	SP (mV)	100
-250	RxoRt	50

4400



0.2	Guard (Ohm-m)	2000
0.2	Deep Induction (Ohm-m)	2000
0.2	Medium Induction (Ohm-m)	2000