



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

15-179-21221-00-00

API No.

Company **A&A Production**

Well **Breeden No 1**

Field **Unknown**

County **Sheridan**

State **Kansas**

Location

**NE - SW - SW - SE
350' FSL & 2290' FEL**

Other Services
DIL / MEL

Sec: **25**

Twp: **9 S**

Rge: **26 W**

Elevation

Permanent Datum **Ground Level** Elevation **2619**
 Log Measured From **Kelly Bushing** **5** Ft. Above Perm. Datum
 Drilling Measured From **Kelly Bushing**

K.B. **2624**
 D.F. **2619**
 G.L. **2619**

Date

1/27/2009

Run Number

One

Type Log

CNL / CDL

Depth Driller

4150

Depth Logger

4156

Bottom Logged Interval

4135

Top Logged Interval

3500

Type Fluid In Hole

Chemical

Salinity, PPM CL

6,000

Density

9.3

Level

Full

Max. Rec. Temp. F

118

Operating Rig Time

4 Hours

Equipment -- Location

15 Hays

Recorded By

B. Becker

Witnessed By

Mark Torr

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

From

To

One 12.25

00

233

8.625

23#

00

233

Two 7.875

233

TD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
 (785) 625-3858

Wakeeney, Ks; North to Red Line Rd;
 West to "STOP" sign (St. Peter blacktop);
 3-1/2 West, North Into

Database File: andersonhd.db
 Dataset Pathname: Breeden1/DIL/@00000e60
 Presentation Format: cdl
 Dataset Creation: Tue Jan 27 22:03:55 2009
 Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			









