



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.

15-185-23,556-00-00

Company Murfin Drilling Company, Inc.

Well Sizzler No. 1-6

Field Drach

County Stafford

State

Kansas

Location

1320' FSL & 330' FWL

Sec: 6

Twp: 22 S

Rge: 12 W

Other Services
CNL/CDL
DIL/BHCS

Permanent Datum

Elevation 1875

Log Measured From

11 Ft. Above Perm. Datum

Drilling Measured From

K.B. 1886
D.F. 1875
G.L. 1875

Date

10/30/2008

Run Number

Two

Depth Driller

3800

Depth Logger

3801

Bottom Logged Interval

3800

Top Log Interval

2800

Casing Driller

8.625 @ 724

Casing Logger

727

Bit Size

7.875

Type Fluid in Hole

Chemical

Salinity, ppm CL

9.000

Density / Viscosity

9.2 50

pH / Fluid Loss

11.0 8.8

Source of Sample

Flowline

Rm @ Meas. Temp

.72 @ 65

Rmf @ Meas. Temp

.54 @ 65

Rmc @ Meas. Temp

.97 @ 55

Source of Rmf / Rmc

Charts

Rm @ BHT

.40 @ 116

Operating Rig Time

6 Hours

Max Rec. Temp. F

116

Equipment Number

4

Location

Hays

Recorded By

K. Bange

Witnessed By

Terry McCleod

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


South of Great Bend to Hwy 19, 3 E, 1/2 N, E into


Database File: c:\warrior\data\murfin_sizzler no. 1-6\murfinhd.db
Dataset Pathname: dil\murf2in
Presentation Format: micro
Dataset Creation: Thu Oct 30 20:01:56 2008
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0






3050

3100

3150

3200

3250




-27

-27

-27

-27

-27





3300

3350

3400

3450






3500

3550

3600

3650



-27

-27

-27

-34

