



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No. 15-145-21,578-00-00		Company F.G. Holl Company, LLC		Other Services CNL/CDL DIL/BHCS	
Well Ward Feed Yard 'B' No. 2-30		County Pawnee			
Field JAC		State Kansas			
Location SW - SW - NE - NE 1260' FNL & 1100' FEL		Elevation K.B. 1967 D.F. 1959			
Sec: 30		Twp: 21 S		Rge: 15 W	
Permanent Datum Log Measured From Drilling Measured From		Ground Level Kelly Bushing Front Kelly Bushing		Elevation 1959 8 Ft. Above Perm. Datum	
Date 10/21/2008					
Run Number Two					
Depth Driller 4050					
Depth Logger 4052					
Bottom Logged Interval 4051					
Top Log Interval 1850					
Casing Driller 8.625 @ 948					
Casing Logger 7.875					
Type Fluid in Hole Chemical					
Salinity, ppm CL 10,000					
Density / Viscosity 9.1 48					
pH / Fluid Loss 12.0 10.4					
Source of Sample Flowline					
Rm @ Meas. Temp 0.40 @ 65					
Rmf @ Meas. Temp 0.30 @ 65					
Rmc @ Meas. Temp 0.54 @ 65					
Source of Rmf / Rmc Charts					
Rm @ BHT 0.22 @ 117					
Operating Rig Time 6 Hours					
Max Rec. Temp. F 117					
Equipment Number 15					
Location Hays					
Recorded By B. Becker					
Witnessed By					

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Pawnee Rock, Ks; South West on 56 Hwy to O Rd; 3 East; South into




High Resolution

Database File: c:\warrior\data\fg holl_ward feed yard 'b' no. 2-30\fg hollhd.db
Dataset Pathname: DIL/holl_hr
Presentation Format: micro
Dataset Creation: Tue Oct 21 18:03:21 2008
Charted by: Depth in Feet scaled 1:120

0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP	0


0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0

LSPD




3500

3550




-13

-13




3600

3650



-13


-13



3700

3750


3800



-13


-12

-13




3850

3900




-12

-12




3950

4000




-12

-12



0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP	0

4050



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0


LSPD

Database File: c:\warrior\data\fg holl_ward feed yard 'b' no. 2-30\fg hollhd.db
 Dataset Pathname: DIL/fg holl
 Presentation Format: micro
 Dataset Creation: Tue Oct 21 18:59:42 2008
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP	0


0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0

LSPD





1850



1900




-31

-31








2350

2400

2450

2500

2550




-30

-30

-30

-30

-30




2600

2650

2700

2750




-30

-30

-33

-32





2800

2850

2900

2950






3000

3050

3100

3150

3200




-32

-32

-32

-32

-32





3250

3300

3350

3400






3450

3500

3550

3600




-31

-13

-13

-13




3650

3700

3750

3800

3850



-13

-13

-12

-13

-12

