



Borehole Compensated Sonic Log

DIGITAL LOG (785) 625-3858

API No.

15-083-21,576-00-00

Company American Warrior, Inc.

Well Sprier Unit # 1-29

Field Wildcat

County Hodgeman

State Kansas

Location

2457' FNL & 2387' FEL

Other Services
CNL/CDL
MEL/DIL

Sec: 29 Twp: 22S Rge: 23W

Permanent Datum Ground Level Elevation 2303

Log Measured From Kelly Bushing 12 Ft. Above Perm. Datum

Dilling Measured From Kelly Bushing K.B. 2315
D.F. 2303

Date 11/22/2008

Run Number Two

Type Log BHC Sonic

Depth Driller 4608

Depth Logger 4609

Bottom Logged Interval 4598

Top Logged Interval 200

Type Fluid In Hole Chemical

Salinity, PPM CL 3,900

Density 9.2

Level Full

Max. Rec. Temp. F 124

Operating Rig Time 5 Hours

Equipment -- Location 10 Hays

Recorded By Jason Wellbock

Witnessed By Jason Alm

Borehole Record

Casing Record

Run No	Bit	From	To	Size	Wgt.	From	To
--------	-----	------	----	------	------	------	----

One	12.25	00	224	8.625	23#	00	224
-----	-------	----	-----	-------	-----	----	-----

Two	7.875	224	TD				
-----	-------	-----	----	--	--	--	--

--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Ness City S to O Rd, 1 1/2 E, S Into



Database File: amerhd.db
Dataset Pathname: dil/amer2in
Presentation Format: sonic
Dataset Creation: Sat Nov 22 22:46:43 2008
Charted by: Depth in Feet scaled 1:240




0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	Sonic Porosity (Limestone)	-10
6	Caliper (GAPI)	16			LTEN (lb)	0
						LSPD











































































4550

4600

Sonic Int

5 0



-50

-32

0	Gamma Ray	150
150	Gamma Ray	300
6	Caliper (GAPI)	16

140	Delta Time (usec/ft)	40
30	Sonic Porosity (Limestone)	-10
10000	LTEN (lb)	0

LSPD