



Borehole Compensated Sonic Log

DIGITAL LOG (785) 625-3858

API No.

15-101-22,167-00-00

Company **Carmen Schmitt Inc.**

Well **Marlene A No. 3**

Field **Wildcat**

County **Lane**

State **Kansas**

Location

550' FSL & 1400' FWL

Other Services
CNL / CDL
DIL/MEL

Sec: **31**

Twp: **18S**

Rge: **29W**

Elevation

Permanent Datum

Ground Level

Elevation **2846**

Log Measured From

Kelly Bushing

5 Ft. Above Perm. Datum

K.B. **2851**

D.F. **2846**

Drilling Measured From

Kelly Bushing

G.L. **2846**

Date

05/13/2009

Run Number

Two

Type Log

BHC Sonic

Depth Driller

4900

Depth Logger

4909

Bottom Logged Interval

4898

Top Logged Interval

200

Type Fluid In Hole

Chemical

Salinity, PPM CL

2,500

Density

9.4

Level

Full

Max. Rec. Temp. F

127

Operating Rig Time

5 Hours

Equipment -- Location

10 Hays

Recorded By

Jason Wellbrock

Witnessed By

Tim Priest

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

23#

From

To

One

12.25

00

236

8.625

23#

00

236

Two

7.875

236

TD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Dighton 5 W to Gage rd, 3 S, 1/2 W N Into



Database File: carmenhd.db
Dataset Pathname: dil/carm2in
Presentation Format: sonic
Dataset Creation: Wed May 13 20:09:51 2009
Charted by: Depth in Feet scaled 1:240



0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	Sonic Porosity (Limestone)	-10
6	Caliper (GAPI)	16			LTEN (lb)	0
						LSPD


















1700

1750

1800

1850

1900

