



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-051-25,921-00-00

Company DaMar Resources, Inc.

Well Haddock 'D' No. 1

Field Wildcat

County Ellis

State Kansas

Location 590' FNL & 1970' FWL

Sec: 2 Twp: 13 S Rge: 18 W

Other Services
DIL
MEL

Permanent Datum Ground Level Elevation 2071

Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum

K.B. 2076
D.F.
G.L. 2071

Date 10/22/2009

Run Number One

Type Log CNL / CDL

Depth Driller 3675

Depth Logger 3672

Bottom Logged Interval 3651

Top Logged Interval 3000

Type Fluid In Hole Chemical

Salinity, PPM CL 3,000

Density 9.1

Level Full

Max. Rec. Temp. F 115

Operating Rig Time 4 Hours

Equipment -- Location 4 Hays

Recorded By K. Bange

Witnessed By Randy Killian

Borehole Record

Casing Record

Run No	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	262	8.625	24#	00	262
2	7.875	262	3675				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858




Hays, N to Feedlot rd, 1 E, 1 N, 1/2 E, S into


Database File: c:\warrior\data\damar_haddock 'd' no. 1\damar102209hd.db
Dataset Pathname: dil\damar2in
Presentation Format: cdl
Dataset Creation: Thu Oct 22 15:10:26 2009
Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150
6	Caliper (in)	16


30	Compensated Density (pu)				-10
2	Bulk Density (g/cc)				3
15000	Line Tension (lb)				0
2.625	DGA (g/cc)	3.425	-0.25	Correction (g/cc)	0.25
					LSPD (ft/min)











15000		Line Tension (lb)		0
			LSPD	
			(ft/min)	