



**SUPERIOR
Hays,
Kansas**

**MICRO
LOG**

Company: CORAL COAST PETROLEUM, LLC
Well: FILSON #1
Field: WILDCAT
County: COMANCHE
State: KANSAS

Company: CORAL COAST PETROLEUM, LLC
Well: FILSON #1
Field: WILDCAT
County: COMANCHE
State: KANSAS

Location: 1320' FNL & 1980' FWL
API #: 15-0333-21561-0000
SEC 5 TWP 34S RGE 20W
Permanent Datum: GROUND LEVEL
Log Measured From: KELLY BUSHING 10' A.G.L.
Drilling Measured From: KELLY BUSHING
Elevation: 1764
Other Services: CDL/CNL/PE DIL/SON
K.B. 1774
D.F. 1772
G.L. 1764

Date	8/29/09
Run Number	TWO
Depth Driller	5440
Depth Logger	5442
Bottom Logged Interval	5424
Top Log Interval	4150
Casing Driller	8 5/8" @ 615'
Casing Logger	614'
Bit Size	7 7/8
Type Fluid In Hole	CHEMICAL MUD
Density / Viscosity	9.2 / 48
pH / Fluid Loss	10.0 / 8.8
Source of Sample	FLOWLINE
Rm @ Meas. Temp	0.58 @ 84F
Rmf @ Meas. Temp	0.44 @ 84F
Rmc @ Meas. Temp	0.70 @ 84F
Source of Rmf / Rmc	CAL/CAL
Rm @ BHT	0.38 @ 129F
Time Circulation Stopped	2 HOURS
Time Logger on Bottom	
Maximum Recorded Temperature	129F
Equipment Number	680
Location	HAYS, KS
Recorded By	JEFF GRONEWEG
Witnessed By	KEITH REAVIS

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


THANK YOU FOR USING SUPERIOR WELL SERVICES
HAYS, KS. 785-628-6395


DIRECTIONS: PROTECTION, KS - 2 MILES WEST TO RD 3 - 4 MILES SOUTH TO AVE R
1 MILE WEST TO RD 2 - 2 MILES SOUTH TO AVE T - 3/4 MILES EAST
NORTH INTO


Database File: 004094pe.db
Dataset Pathname: pass6.1
Presentation Format: _micro
Dataset Creation: Sun Aug 30 02:20:48 2009 by Calc Open-Cased 090629


0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		












5050

5100

5150

5200



0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3) 10			





SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 004094pe.db
 Dataset Pathname: pass5.1.3
 Presentation Format: _micro
 Dataset Creation: Sun Aug 30 01:50:10 2009 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3) 10			





Calibration Report

Database File: 004094pe.db
 Dataset Pathname: pass6.1
 Dataset Creation: Sun Aug 30 02:20:48 2009 by Calc Open-Cased 090629

MICRO Calibration Report

Serial Number:	MICRO6	
Tool Model:	PROBE	
Performed:	Wed Dec 12 15:00:13 2007	
Caliper Calibration:	Gain=3.900	Offset=3.177
References	Low Cal 7.900	High Cal 14.250
Readings	1.185	2.814
1.5" Calibration:	Gain=72.781	Offset=-1.251
References	Low Cal 0.000	High Cal 20.000
Readings	0.008	1.200
2" Calibration:	Gain=45.739	Offset=1.093
References	Low Cal 0.000	High Cal 20.000
Readings	0.008	0.888

Gamma Ray Calibration Report

Serial Number:	GR6
Tool Model:	OPEN
Performed:	Thu Jul 09 09:06:42 2009

Calibrator Value:	150.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	276.0	cps
Sensitivity:	0.6835	GAPI/cps