



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-009-25,302-00-00

Company Russell Oil, Inc.

Well Hubert Radke #1-6

Field Nuss

County Barton

State Kansas

Location

990' FNL & 840' FEL

Sec: 6

Twp: 16S

Rge: 14W

Other Services
DIL / MEL

Permanent Datum Ground Level Elevation 1882

Log Measured From Kelly Bushing 10 Ft. Above Perm. Datum

K.B. 1892
D.F. 1882
G.L. 1882

Date

1/24/2009

Run Number

One

Type Log

CNL / CDL

Depth Driller

3400

Depth Logger

3400

Bottom Logged Interval

3379

Top Logged Interval

2400

Type Fluid In Hole

Chemical

Salinity, PPM CL

10,000

Density

8.9

Level

Full

Max. Rec. Temp. F

110

Operating Rig Time

4 Hours

Equipment -- Location

15 Hays

Recorded By

T. Martin

Witnessed By

Kevin Bailey

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

From

To

One

12.25

00

895

8.625

23#

00

895

Two

7.875

895

TD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Milberger, 1 S, 1/8 E, S into

Database File: russhd.db
Dataset Pathname: dil/russtk
Presentation Format: cdl
Dataset Creation: Sat Jan 24 16:31:41 2009
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density				-10
2	Bulk Density				3
15000	Line Tension				0
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD







6	Caliper (GAPI)	16


2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
			Correction
			0.25
			LSPD


Database File:		russhd.db	
Dataset Pathname:		dil/russtk	
Presentation Format:		cndlspec	
Dataset Creation:		Sat Jan 24 16:31:41 2009	
Charted by:		Depth in Feet scaled 1:240	


0	Gamma Ray	150	30	Compensated Neutron (Limestone)		-10
6	Caliper (GAPI)	16	30	Compensated Density (2.71 ma)		-10
			2.625	DGA	3.425	-0.25
			Correction		0.25	
			15000	Line Tension		0
						LSPD











0 Gamma Ray 150
6 Caliper (GAPI) 16

30 Compensated Neutron (Limestone) -10
30 Compensated Density (2.71 gm/cc) -10

Caliper (GAT 1)		30	Compensated Density (2.71 t/m ³)		-10
		2.625	DGA	3.425	-0.25
		Correction		0.25	
		15000	Line Tension		0
					LSPD