

Borehole Compensated Sonic Log

(785) 625-3858

Company Damar Resources, Inc.

Well McCreight Unit No. 1

Field Wildcat

County **Ness** State **Kansas**

Location	SE NE SE SE
705' FSL & 295' FEL	

Sec: 26 Twp: 20 S Rge: 24 W

um	Ground Level	Elevation 2257
From	Kelly Bushing	8 Ft. Above Perm. Datum

Elevat

2007

ed From Kelly Bushing

Two

5	0
4	

4	
---	--

Interval	3
----------	---

MCL	2.1
-----	-----

Π. 5

1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

Location	4
----------	---

Jim M

From	To
------	----

340	340
-----	-----

[illegible]

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Ness City, 11 S, 2 W, 7/8 S, W into

Database File: c:\warrior\data\damar_mccreight unit no. 1\damar091010hd.db
Dataset Pathname: dil\damar2in
Presentation Format: sonic
Dataset Creation: Fri Sep 10 06:34:49 2010
Charted by: Depth in Feet scaled 1:240

Charted by:		Depth in Feet scaled 1:2.15					
0	Gamma Ray	150	5	0	140	Delta Time (usec/ft)	40
150	Gamma Ray	300			30	SPOR	-10
6	Caliper (GAPI)	16			15000	LTEN (lb)	0
							LSPD







































