

Dual Compensated Porosity Log

(785) 625-3858

Company **H&C Oil Operating, Inc.**

Well Kraus # 18-1

Field Unknown

County Graham State Kansas

SW - NE - NW - SW
2150' FSL & 700' FWL

Sec: 18 Twp: 8 S Rge: 21 W

Page: 21

Other Services
DIL
MEL/BHCS

Elevation

Permanent Datum	Ground Level	Elevation 2045
Log Measured From	Kelly Bushing	5 Ft. Above Perm. Datum

K.B.	2050
D.F.	
G.L.	2045

Date	4/6/2010
------	----------

Type Log	CNL / CDL
----------	-----------

Depth Logger	3663
--------------	------

Top Logged Interval	2900
---------------------	------

Salinity, PPM CL	1500
------------------	------

Level	Full
-------	------

Operating Rig Time	4 1/2 Hours
--------------------	-------------

Recorded By	B. Becker
-------------	-----------

Witnessed By	Marc Downing
--------------	--------------

Run No.	Bit	From	To
---------	-----	------	----

2	7.875	262	3662
---	-------	-----	------

--	--	--	--

--	--	--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Bogue, Ks; 1-1/2 West; South and East into

Database File: c:\warrior\data\h&c_kraus#18-1\h&chd.db
Dataset Pathname: DIL/h&cstk
Presentation Format: cdl
Dataset Creation: Tue Apr 06 11:44:16 2010
Charted by: Depth in Feet scaled 1:600

Charted by: Depth in Feet scaled 1:600					
0	Gamma Ray	150	30	Compensated Density	-10
6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
			2.625	DGA	3.425
			-0.25	Correction	0.25
			LSPD		











