

Dual Compensated Porosity Log

DIGITAL LOG

(785) 625-3858

API No.

Company Citation Oil & Gas Corporation

Well Wieland Unit No. 6-17

Field Fair

County Ellis State Kansas

Twp: 13 S Rge: 16 W

[illegible]

Point	Elevation	Notes
Top of Hill	1949	
Ground Level		
Kelly Bushing	8 Ft. Above Perm. Datum	

ed 1011 Kelly Dushnig

Elevation

K.B. 1957
D.E.

2106/2010

	CNL / CDL

	3526

Interval	2400
----------	------

PM CL	7,500
-------	-------

Full	
------	--

Time	4 Hours
007	11 hours

	K. Bange
	Ed. Glöckner

Borehole Record		
From	To	Size

00	1007	8.625
1007	3535	

Casing Record
From
00

Casing Record
From

00	
----	--

--	--

--	--

--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Gorham, 1 W, 4 1/2 N, W into,

Database File: c:\warrior\data\citation_wieland unit no. 6-17\citationhd.db
Dataset Pathname: dil/stack
Presentation Format: cdl
Dataset Creation: Sat Feb 06 16:03:57 2010
Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150	30	Compensated Density (pu)	-10	
6	Caliper (in)	16	2	Bulk Density (g/cc)	3	
			15000	Line Tension (lb)	0	
				-0.25	Correction (g/cc)	0.25
					LSPD	(ft/min)











Database File: c:\warrior\data\citation_wieland unit no. 6-17\citationhd.db
Dataset Pathname: dil/stack
Presentation Format: cndlspec
Dataset Creation: Sat Feb 06 16:03:57 2010
Charted by: Depth in Feet scaled 1:240














[illegible]