



**Borehole Compensated  
Sonic Log**

**DIGITAL LOG (785) 625-3858**

API No.	15-065-23,607-00-00
Company	H & C Oil Operating Inc.
Well	Campbell # 18-1
Field	Wildcat
County	Graham
State	Kansas
Location	2200' FSL & 1650' FEL
Sec: 18	Twp: 6 S Rge: 23 W
Permanent Datum	Ground Level Elevation 2419
Log Measured From	Kelly Bushing 5 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing
Date	01/19/2010
Run Number	Two
Type Log	BHC Sonic
Depth Driller	3905
Depth Logger	3903
Bottom Logged Interval	3892
Top Logged Interval	250
Type Fluid In Hole	Chemical
Salinity, PPM CL	1,000
Density	9.0
Level	Full
Max. Rec. Temp. F	117
Operating Rig Time	4 Hours
Equipment -- Location	10 Hays
Recorded By	J. Wellbrock
Witnessed By	M Downing

Other Services	CNL/CDL MEL/DIL
Elevation	K.B. 2424 D.F. 2419 G.L. 2419

Borehole Record		Casing Record					
Run No	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	253	8.625	24#	00	253
2	7.875	253	3905				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

**Comments**

Thank you for using Log-Tech, Inc.  
(785) 625-3858

Hill City Stop Light, North 12 to CC Road, West to 230, South 1/2 West Into

Database File: c:\warrior\data\h&c\_campbell # 18-1\h&chd.db  
 Dataset Pathname: dil/handc2in  
 Presentation Format: sonic  
 Dataset Creation: Tue Jan 19 09:31:32 2010  
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft) (usec/ft)	40
150	Gamma Ray	300	5 (msec)	0	SPOR (pu)	-10
6	Caliper (in)	16		15000	LTEN (lb) (lb)	0
						LSPD (ft/min)



































