



**SUPERIOR
Hays,
Kansas**

**MICRO
LOG**

Company	DIXON ENERGY, INC.	Location:	API # : 15-095-22197-00-00	Other Services
Well	MARKER #1	1910' FSL & 2090' FWL		CDL/CNL DIL/PE SONIC
Field	WILDCAT			Elevation
County	KINGMAN			
State	KANSAS			
SEC 16 TWP 30S RGE 10W		GROUND LEVEL	Elevation	1747
Permanent Datum		KELLY BUSHING 10' A.G.L.		K.B. 1757
Log Measured From		KELLY BUSHING		D.F. 1755
Drilling Measured From		KELLY BUSHING		G.L. 1747

Date	1/08/10
Run Number	ONE
Depth Driller	4875
Depth Logger	4880
Bottom Logged Interval	4862
Top Log Interval	3350
Casing Driller	8 5/8" @ 256
Casing Logger	252
Bit Size	7 7/8
Type Fluid In Hole	CHEMICAL MUD
Density / Viscosity	9.3/53
pH / Fluid Loss	10.5/8.8
Source of Sample	FLOWLINE
Rm @ Meas. Temp	.95 @ 72F
Rmf @ Meas. Temp	.712 @ 72F
Rmc @ Meas. Temp	1.14 @ 72F
Source of Rmf / Rmc	MEASURED
Rm @ BHT	.556 @ 123F
Time Circulation Stopped	2 HOURS
Time Logger on Bottom	
Maximum Recorded Temperature	123F
Equipment Number	680
Location	HAYS, KS.
Recorded By	JASON CAPPELLUCCI
Witnessed By	RYAN DIXON
	JEFF GRONWEG


<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

THANK YOU FOR USING SUPERIOR WELL SERVICE (785) 628-6395
DIRECTIONS
WEST SIDE OF NASHVILLE KS. - 1 S. - 1/2 E. - 1/2 N. - W. INTO



0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3) 10			











Database File: 004670pe.db
 Dataset Pathname: pass7.1
 Presentation Format: _micro
 Dataset Creation: Fri Jan 08 19:59:36 2010 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240























SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 004670pe.db
 Dataset Pathname: pass6.1
 Presentation Format: _micro
 Dataset Creation: Fri Jan 08 19:27:08 2010 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		





Calibration Report

Database File: 004670pe.db
 Dataset Pathname: pass6.1
 Dataset Creation: Fri Jan 08 19:27:08 2010 by Calc Open-Cased 090629

MICRO Calibration Report

Serial Number:	MICRO6
Tool Model:	PROBE
Performed:	Fri Nov 27 05:40:03 2009

Caliper Calibration:	Gain=3.100	Offset=4.477
----------------------	------------	--------------

	Low Cal	High Cal
References	7.900	14.250
Readings	1.185	2.814

1.5" Calibration:	Gain=40.781	Offset=-0.851
-------------------	-------------	---------------

	Low Cal	High Cal
References	0.000	20.000
Readings	0.008	1.200

2" Calibration:	Gain=40.739	Offset=-0.193
-----------------	-------------	---------------

	Low Cal	High Cal
References	0.000	20.000
Readings	0.008	0.888

Gamma Ray Calibration Report

Serial Number:	GR6
Tool Model:	OPEN
Performed:	Tue Nov 10 08:32:36 2009

Calibrator Value:	150.0	GAPI
-------------------	-------	------

Background Reading:	0.0	cps
Calibrator Reading:	276.0	cps

Sensitivity:	0.5535	GAPI/cps
--------------	--------	----------