



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-051-25,941-00-00

Company Damar Resources, Inc.

Well Jensen Family #1

Field Jensen

County Ellis

State Kansas

Location

1880' FSL & 1910' FEL

Sec: 34

Twp: 12S

Rge: 18W

Permanent Datum Ground Level Elevation 2097

Log Measured From Kelly Bushing

8 Ft. Above Perm. Datum

Drilling Measured From Kelly Bushing

Other Services
DIL
MEL
Elevation
K.B. 2105
D.F.
G.L. 2097

Date 12/09/2009

Run Number One

Type Log CNL / CDL

Depth Driller 3685

Depth Logger 3687

Bottom Logged Interval 3666

Top Logged Interval 3000

Type Fluid In Hole Chemical

Salinity, PPM CL 3,200

Density 9.1

Level Full

Max. Rec. Temp. F 115

Operating Rig Time 4 Hours

Equipment -- Location 17 Hays

Recorded By C. McLaughlin

Witnessed By Randy Kilian

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

From

To

1 12.25

00

266

8.625

24#

00

266

3685

3685

3685

3685

3685

3685

3685

3685

3685

3685

3685

3685

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858




Hays, N on 183 hwy to Feedlot Rd, 1E, 1 1/2N
W into


Database File: c:\warrior\data\damar_jensen family #1\damarhd.db
Dataset Pathname: dil/stack
Presentation Format: cdl
Dataset Creation: Wed Dec 09 14:37:42 2009
Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150
6	Caliper (in)	16


30	Compensated Density (pu)				-10
2	Bulk Density (g/cc)				3
15000	Line Tension (lb)				0
2.625	DGA (g/cc)	3.425	-0.25	Correction (g/cc)	0.25
					LSPD (ft/min)











3700			-999		
0	Gamma Ray	150	30	Compensated Neutron (Limestone) (pu)	-10
6	Caliper (in)	16	30	Compensated Density (2.71 ma) (pu)	-10
			2.625	DGA (g/cc)	3.425
			-0.25	Correction (g/cc)	0.25
			15000	Line Tension (lb)	0
					LSPD (ft/min)