

LOG-TECH



Dual Induction Log

DIGITAL LOG

(785) 625-3858

API No.

15-051-25,941-00-00

Company Damar Resources, Inc.

Well Jensen Family #1

Field Jensen

County Ellis

State

Kansas

Location

1880' FSL & 1910' FEL

Sec: 34

Twp: 12S

Rge: 18W

Permanent Datum Ground Level
Log Measured From Kelly Bushing
Drilling Measured From Kelly Bushing

8 Ft. Above Perm. Datum

Other Services
CNL/CDL
MEL
Elevation
K.B. 2105
D.F.
G.L. 2097

Date 12/09/2009

Run Number One

Depth Driller 3685

Depth Logger 3687

Bottom Logged Interval 3686

Top Log Interval Surface Csg.

Casing Driller 8.625 @ 266

Casing Logger 263

Bit Size 7.875

Type Fluid in Hole Chemical

Salinity, ppm CL 3.200

Density / Viscosity 9.1 49

pH / Fluid Loss 10.0 8.8

Source of Sample Flowline

Rm @ Meas. Temp .7 @ 45

Rmf @ Meas. Temp .53 @ 45

Rmc @ Meas. Temp .95 @ 45

Source of Rmf / Rmc Charts

Rm @ BHT .27 @ 115

Operating Rig Time 4 Hours

Max Rec. Temp. F 115

Equipment Number 17

Location Hays

Recorded By C. McLaughlin

Witnessed By Randy Kilian

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858




Hays, N on 183 hwy to Feedlot Rd, 1E, 1 1/2N
W into



Database File: c:\warrior\data\damar_jensen family #1\damarhd.db
Dataset Pathname: dil/stack
Presentation Format: dil2in
Dataset Creation: Wed Dec 09 14:37:42 2009
Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150
-200	SP (MV)	0



0	Shallow Resistivity (Ohm-m)	50
0	Deep Resistivity (Ohm-m)	50
1000	Conductivity (mmho/m)	0
15000	Line Tension (lb)	0
Shallow Resistivity		
50	(Ohm-m)	500
50	Deep Resistivity (Ohm-m)	500


LSPD
(ft/min)
















2300
2350
2400
2450
2500
2550
2600
2650
2700
2750
2800




-93
-93
-93
-93
-93
-93
-93
-93
-93
-93
-93








Database File: c:\warrior\data\damar_jensen family #1\damarhd.db
 Dataset Pathname: dil/stack
 Presentation Format: dil
 Dataset Creation: Wed Dec 09 14:37:42 2009
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	0.2	Deep Resistivity (Ohm-m)	2000
-200	SP (MV)	0	0.2	Medium Resistivity (Ohm-m)	2000
-160	Rxo / Rt	40	0.2	Shallow Resistivity (Ohm-m)	2000
			15000	Line Tension (lb)	0
			LSPD		



Database File: c:\warrior\data\damar_jensen family #1\damarhd.db
Dataset Pathname: dil/stack
Presentation Format: dil
Dataset Creation: Wed Dec 09 14:37:42 2009
Charted by: Depth in Feet scaled 1:240






3050

3100

3150

3200




-25

-25

-25

-25




3250

3300

3350

3400

3450




-25

-27

-23

-23

-23




3500

3550

3600

3650




-23

-22

-22

-22



3700

