

LOG-TECH



Dual Induction Log

DIGITAL LOG

(785) 625-3858

API No.

15-167-23,561-00-00

Company John O. Farmer Inc.

Well Dauber B No. 1

Field Wildcat

County Russell

State

Kansas

Location

SW-SE-NW-NW
1170' FNL & 890' FWL

Other Services
CNL/CDL
MEL

Sec: 12

Twp: 13 S

Rge: 13 W

Elevation

Permanent Datum Ground Level Elevation 1601
Log Measured From Kelly Bushing 8 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

K.B. 1609
D.F. 1601
G.L. 1601

Date

2/10/2009

Run Number

One

Depth Driller

2980

Depth Logger

2984

Bottom Logged Interval

2983

Top Log Interval

550

Casing Driller

8.625 @ 556

Casing Logger

554

Bit Size

7.875

Type Fluid in Hole

Chemical

Salinity, ppm CL

8.000

Density / Viscosity

9.0

pH / Fluid Loss

8.0

Source of Sample

Flowline

Rm @ Meas. Temp

0.95 @ 65

Rmf @ Meas. Temp

0.71 @ 65

Rmc @ Meas. Temp

1.28 @ 65

Source of Rmf / Rmc

Charts

Rm @ BHT

0.57 @ 108

Operating Rig Time

4 Hours

Max Rec. Temp. F

108

Equipment Number

10

Location

Hays

Recorded By

J. Wellbrock

Witnessed By

Brad Hutchison

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

I-70 Bunker Hill, 5 N,
3/4 W, S Into

Database File: c:\warrior\data\farmer_dauber b no. 1\farmhd.db
Dataset Pathname: dil/farm2in
Presentation Format: dil2in
Dataset Creation: Tue Feb 10 15:39:09 2009
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
-200	SP	0



0	Shallow Resistivity	50
0	Deep Resistivity	50



LSPD



1000	Conductivity	0
------	--------------	---




15000	Line Tension	0
-------	--------------	---


50	Shallow Resistivity	500
50	Deep Resistivity	500













Database File: c:\warrior\data\farmer_dauber b no. 1\farmhd.db
 Dataset Pathname: dil/farm2in
 Presentation Format: dil
 Dataset Creation: Tue Feb 10 15:39:09 2009
 Charted by: Depth in Feet scaled 1:240






550



600

650




LSPD


Database File: c:\warrior\data\farmer_dauber b no. 1\farmhd.db
 Dataset Pathname: dil/farm2in
 Presentation Format: dil
 Dataset Creation: Tue Feb 10 15:39:09 2009
 Charted by: Depth in Feet scaled 1:240




LSPD



2450



-32




2500

2550

2600

2650




-32

-32

-32

-31




2700

2750

2800

2850

2900




-33

-32

-31


-31

-31



0	Gamma Ray	150
-200	SP	0
-160	Rxo / Rt	40

2950



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD