



Dual Induction Log

DIGITAL LOG

(785) 625-3858

API No.

15-065-23526

Company American Warrior, Inc.

Well Gosselin #3-6

Field Luck NE

County Graham

State

Kansas

Location 1550' FSL & 1675' FEL

Sec: 6

Twp: 8S

Rge: 21W

Permanent Datum Ground Level
Log Measured From Kelly Bushing
Drilling Measured From Kelly Bushing

Elevation 2120
8 Ft. Above Perm. Datum

Other Services
CNL/CDL
MEL
Elevation
K.B. 2128
D.F.
G.L. 2120

Date

1/17/2009

Run Number

One

Depth Driller

3695

Depth Logger

3693

Bottom Logged Interval

3692

Top Log Interval

Surface Csg.

Casing Driller

8.625 @ 214

Casing Logger

7.875

Bit Size

Chemical

Type Fluid in Hole

1.200

Salinity, ppm CL

9.1

Density / Viscosity

52

pH / Fluid Loss

10.0

Source of Sample

Flowline

Rm @ Meas. Temp

1.0 @ 72

Rmf @ Meas. Temp

.75 @ 72

Rmc @ Meas. Temp

1.35 @ 72

Source of Rmf / Rmc

Charts

Rm @ BHT

.62 @ 115

Operating Rig Time

4 Hours

Max Rec. Temp. F

115

Equipment Number

4

Location

Hays

Recorded By

C. McLaughlin

Witnessed By

Marc Downing

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858




Hwy 24 & Hwy 18 jct.
1W, N into




Database File: c:\warrior\data\amwar_gosselin #3-6\amwahd.db
Dataset Pathname: dil/amwarstck
Presentation Format: dil2in
Dataset Creation: Sat Jan 17 19:33:48 2009
Charted by: Depth in Feet scaled 1:600




0	Gamma Ray	150
-200	SP	0


0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500

LSPD
















1800
1850
1900
1950
2000
2050
2100
2150
2200
2250
2300












Database File: c:\warrior\data\amwar_gosselin #3-6\amwahd.db
 Dataset Pathname: dil/amwarstck
 Presentation Format: dil
 Dataset Creation: Sat Jan 17 19:33:48 2009
 Charted by: Depth in Feet scaled 1:240





1700

1750




-102


-102

LSPD


Database File: c:\warrior\data\amwar_gosselin #3-6\amwahd.db
 Dataset Pathname: dil/amwarstck
 Presentation Format: dil
 Dataset Creation: Sat Jan 17 19:33:48 2009
 Charted by: Depth in Feet scaled 1:240




LSPD



2950



-28




3000

3050

3100

3150

3200




-28

-28

-27

-27

-27




3250

3300

3350

3400




-27

-27

-27

-27




3450

3500

3550

3600




-27

-27


-27

-26



3650

3700



-26

-999