



**SUPERIOR
Hays,
Kansas**

SONIC LOG

Company	MULL DRILLING CO. INC.	Company	MULL DRILLING COMPANY, INC.
Well	#1-14 BENTLEY TRUST	Well	#1-14 BENTLEY TRUST
Field		Field	
County	GOVE	County	GOVE
State	KANSAS	State	KANSAS
Location:	API # : 15-063-21760-0000	Other Services	DIL/CDL CNL/MICRO
SEC 14 TWP 15S RGE 28W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	2474
Log Measured From	KELLY BUSHING 9' A.G.L.	K.B.	2483
Drilling Measured From	KELLY BUSHING	D.F.	
		G.L.	2474
Date	10 JAN 09		
Run Number	CNE		
Depth Driller	4350		
Depth Logger	4356		
Bottom Logged Interval	4349		
Top Log Interval	217		
Casing Driller	8 5/8 @ 217'		
Casing Logger	217		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.1/57	CHLORIDES	4100
pH / Fluid Loss	10.0/8.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.70 @ 61		
Rmf @ Meas. Temp	1.27 @ 61		
Rmc @ Meas. Temp	2.04 @ 61		
Source of Rmf / Rmc	CAL/CAL		
Rm @ BHT	0.83 @ 118		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	0150		
Maximum Recorded Temperature	118		
Equipment Number	680		
Location	HAYS, KS		
Recorded By	DUGAN DENTON	JOE CRATHORNE	
Witnessed By	KEVIN KESSLER		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING SUPERIOR WELL SERVICES
HAYS, KS. 785-628-6395


DIRECTIONS: JCT HWY 4 & PAWNEE RD.(CATHOUSE RD); 7 NORTH CROSS BRIDGE, WEST TO FARMHOUSE, SOUTH SIDE GO WEST 1/2 TO FARM YARD, FOLLOW ROAD ALONG SOUTH SIDE THRU OPEN GATE- FOLLOW TRAIL TO IMPLEMENT, TURN SOUTH ON EAST SIDE OF FENCE, FOLLOW TRAIL TO WELL. PS; CALL CO MAN IF LOST.


Charted by:


Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
10000	LTEN (lb)	0	TBHV	0	ITT (msec)	20
			0 (ft3) 10			













1050


1100

1150

1200










1500


1550


1600

1650











2150


2200



2250


2300






















3700

3750

3800

3850







3900


3950

4000

4050










SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 3188mulldrill.db
 Dataset Pathname: pass4.1
 Presentation Format: _slt
 Dataset Creation: Sat Jan 10 04:17:36 2009 by Calc Open-Cased 070814
 Charted by: Depth in Feet scaled 1:240





0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
10000	LTEN (lb)	0	TBHV	0	ITT (msec)	20
			0 (ft3) 10			