



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.	15-165-21,843-00-00		
Company	Samuel Gary Jr. And Associates, Inc.		
Well	JME Farms No. 1-27		
Field	Wildcat		
County	Rush	State	Kansas
Location	NE SE SE 1050' FSL & 330' FEL		
Sec: 27	Twp: 16 S	Rge: 16 W	
Permanent Datum	Ground Level	Elevation	1962
Log Measured From	Kelly Bushing	10 Ft. Above Perm. Datum	
Drilling Measured From	Kelly Bushing		
		Other Services	CNL/CDL DIL/BHCS
		Elevation	K.B. 1972 D.F. 1962 G.L. 1962

Date	12/03/08	
Run Number	Two	
Depth Driller	3650	
Depth Logger	3650	
Bottom Logged Interval	3649	
Top Log Interval	1500	
Casing Driller	8.625 @ 1052	
Casing Logger	1052	
Bit Size	7.875	
Type Fluid in Hole	Chemical	
Salinity, ppm CL	6.900	
Density / Viscosity	9.3	43
pH / Fluid Loss	9.0	9.6
Source of Sample	Flowline	
Rm @ Meas. Temp	1.3 @ 50	
Rmf @ Meas. Temp	.975 @ 50	
Rmc @ Meas. Temp	1.75 @ 50	
Source of Rmf / Rmc	Charts	
Rm @ BHT	.57 @ 115	
Operating Rig Time	6 Hours	
Max Rec. Temp. F	115	
Equipment Number	10	
Location	Hays	
Recorded By	K. Bange	
Witnessed By	J. Carter	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Liebenthol, E to CR380 (follow correction curves), S 1/2, W into

Database File: c:\warrior\data\sam gary_jme farms no. 1-27\sgaryhd.db
 Dataset Pathname: dil/sgary2in
 Presentation Format: micro
 Dataset Creation: Wed Dec 03 11:33:31 2008
 Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0


LSPD



1500
1550
1600
1650



-33
-33
-33
-33




1700

1750

1800

1850

1900




-33

-33

-32

-33

-32



1950

2000

2050


2100


-32

-32

-32

-32






2150

2200

2250

2300




-32

-32

-31

-31




2350

2400

2450

2500

2550




-31

-32

-32

-32

-30




2600

2650

2700

2750




-31

-31

-31

-30




2800

2850

2900

2950




-30

-30

-30

-30




3000

3050

3100

3150

3200




3000

3050

3100

3150

3200




3250

3300

3350

3400




-30

-30

-29

-29




3450

3500

3550

3600

3650





-29

-30

-30




-30

-19



Repeat Section


Database File: c:\warrior\data\sam gary_jme farms no. 1-27\sgaryhd.db
 Dataset Pathname: dil/sgmelrp
 Presentation Format: micro
 Dataset Creation: Wed Dec 03 13:01:21 2008
 Charted by: Depth in Feet scaled 1:240




3450

3500

3550






3600

3650

0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2''	40