



Borehole Compensated Sonic Log

DIGITAL LOG (785) 625-3858

API No.

15-009-25,275-00-00

Company Samuel Gary Jr. and Associates, Inc.

Well Schneweis No. 3-35

Field Snow White

County Barton

State Kansas

Location

615' FNL & 2155' FEL

Sec: 35

Twp: 17S

Rge: 12W

Other Services
CNL / CDL
MEL / DIL

Permanent Datum

Ground Level

Elevation 1843

Log Measured From Kelly Bushing 10 Ft. Above Perm. Datum

K.B. 1853
D.F. 1843
G.L. 1843

Date

11 / 24 / 2008

Run Number

Two

Type Log

BHC Sonic

Depth Driller

3600

Depth Logger

3599

Bottom Logged Interval

3588

Top Logged Interval

700

Type Fluid In Hole

Chemical

Salinity, PPM CL

5,000

Density

9.3

Level

Full

Max. Rec. Temp. F

113

Operating Rig Time

6 Hours

Equipment -- Location

4 Hays

Recorded By

J. Loffredi

Witnessed By

Justin Carter

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

24#

From

To

1

12.25

00

710

8.625

24#

00

710

2

7.875

710

3600



Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Highway 4 and Oden Blacktop, 1 North,
3/4 West, South into



Database File: c:\warrior\data\sam gary_schneweis no. 3-35\samgaryhd.db
Dataset Pathname: dil\sgstack
Presentation Format: sonic
Dataset Creation: Mon Nov 24 07:49:03 2008
Charted by: Depth in Feet scaled 1:240



0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)		40	
150	Gamma Ray	300		5	0	30	SPOR	-10
6	Caliper (GAPI)	16			10000	LTEN (lb)		0
								LSPD














































0	Gamma Ray	150
150	Gamma Ray	300
6	Caliper (GAPI)	16

Sonic Int	140	Delta Time (usec/ft)	40
5	0	SPOR	-10
	10000	LTEN (lb)	0



Sonic Int	140	Delta Time (usec/ft)	40
5	0	SPOR	-10
	10000	LTEN (lb)	0

LSPD